


SPECIFICATION MANUAL

Twyford
Geberit Group



EVERY PRODUCT YOU'LL EVER NEED

CONTENTS

Introduction	3	Washbasins	49	Urinals	122
Key to logos	4	Standard	50	Division	127
Our sectors	5	Medical	67	Cisterns	128
Water saving	6	Countertop	71	Wastes	129
Rimfree®	8	Total install®	72		
Online Product Catalogue	10	Accessories	73	Fireclay	130
Key contacts	11			Sinks	131
Regulations & standards	12	Baths	74	Trough	133
Product guarantee	14	Acrylic	75	Fittings	134
		Steel	77		
WCs	16	Panels	85	Stainless steel	135
Close coupled	17	Wastes	88	Sinks & troughs	136
Back-to-wall	27			Hoppers	148
Wall-hung	35	Taps & mixers	89	WC	151
Low level	39	Specialised	90	Janitorial units	152
Classic WC bowls	40	Accessories	113	Drinking fountains	153
Fittings	41			Fittings	156
Concealed cisterns	42	Shower Trays	114		
Seats	45	Accessories	121	Less able	157
				Doc.M packs	158
				Support items	186

Twyford have led the way in bathroom design for over 160 years. With outstanding quality, great looks and innovative features, Twyford offer a comprehensive range of products to suit any application.

This specification manual is designed to guide you through our entire portfolio of products, making it simple to specify the right products for each job. It's divided into product section and on each page colour coded logos indicate which sector the product is suitable for (please refer to page 5 for details). Each page contains all the appropriate product information including approvals.

CLEVER THINKING

Twyford are constantly introducing innovative, market leading ideas to make the bathroom experience even better - like the first ever Rimfree® toilet and the water saving Flushwise® system.

Clever technology and smart design features.

GREAT EXPERIENCE

Twyford have been leaders in bathroom design for over 160 years with a reputation for guaranteed quality and superb performance along the way.

EXPERIENCED TEAM

The Twyford team are on top of their game - from design and production to marketing and merchandising.

From customer service to after sales, we're all dedicated to delivering the very best in products, service and support.

GOOD LOOKS

Twyford bathroom ranges don't just perform superbly, they look terrific too. Form and function combine to create style statements for the modern bathroom. Practical and durable, smart and stunning. The perfect solution, every time.

KEY TO LOGOS



Twyford's water saving dual flush 4/2.6 litre cistern system. Please refer to pages 6 - 7.



A toilet that has no rim meaning there is nowhere for germs to hide and making it easier to clean. Please refer to pages 8 - 9.



The European Water Label (EWL) is designed to help easily identify water efficient products, which when installed and used correctly will use less water and save energy and money, compared to other products available in the market. Please visit the European Water Label website: www.europeanwaterlabel.eu for more information.



A range of Twyford products are registered for the DEFRA Enhanced Capital Allowance Schemes (ECA). Water technology list for efficient toilets.

Please visit the DEFRA website: www.eca-water.gov.uk for more information.



TMV2 is an accreditation for thermostatic mixing valves that conform to BS-EN 1111 and 1287. Reliable thermal safety performance for domestic bath shower or bidet use.



TMV3 is a standard created for thermostatic mixing valves in healthcare and commercial areas that have enhanced thermal safety performance and comply with NHS Estates requirements specification DO8.

OUR SECTORS



Healthcare



Education



Hotels



Commercial



Less Able



Residential



CO-OPERATIVE GROUP HQ, MANCHESTER

This landmark building was awarded the highest ever BREEAM rating and was officially opened by the Queen on 14th November 2013. Twyford are delighted to have been involved in this momentous development, constituting the World's most environmentally-friendly building.

GOOD LOOKS & GREAT WATER SAVING IDEAS

TWYFORD LEAD THE WAY IN WATER SAVING INNOVATION THROUGHOUT THE BATHROOM. WITH US, IT'S NOT AN AFTERTHOUGHT - EVERYTHING IS DESIGNED WITH WATER USE REDUCTION IN MIND.

OUTPERFORMING THE REGULATIONS

The problem of water scarcity is increasing globally. Current usage is unsustainable, and water saving is a key element in planning for new developments. At Twyford, we design with this in mind. It's not an afterthought, it's an inspiration. Our innovative, market leading products conform to and outperform regulations, reducing water consumption dramatically, with no compromise on functionality and style.

THE EUROPEAN WATER LABEL

All Twyford toilets and many other Twyford products are registered and therefore listed by the European Water Label (EWL). The European Water Label is designed to help easily identify water efficient products, which when installed and used correctly will use less water and save energy and money, compared to other products available in the market.

Please visit the European Water Label website:

www.europeanwaterlabel.eu for more information.



WATERWISE

Twyford were the pioneers of Flushwise®, the dual flush 4/2.6 litre technology for toilets that has since become widely adopted across the UK bathroom industry, it is for this product that Twyford received the Waterwise Marque back in 2007. The Waterwise Marque - the first scheme in the UK to highlight water efficient products. It is awarded annually to products which reduce water wastage or raise awareness of water efficiency. Please visit the Waterwise website: **www.waterwise.org.uk** for more information.





Opal

130
litre

TOILETS

More than half (63%) of our daily water consumption at home originates from the bathroom and toilet.



Twyford have been leading the way in reducing toilet flush volumes. We have revolutionised the field by pioneering the unique Flushwise® dual flush push button toilet. Flushwise® toilets use 4 or 2.6 litres each flush, that's 60% less water than a standard toilet and is also available on concealed cisterns.

BATHS

Twyford's Celtic steel bath has a capacity of just 140 litres, that's an estimated 35% water saving compared to a typical standard size bath.

CLEAN, GREEN AND STYLISH



THE REVOLUTIONARY RIMFREE® TOILETS ARE AVAILABLE ACROSS OUR TWYFORD COLLECTIONS. THERE'S NO RIM SO THERE'S NOWHERE FOR GERMS AND DIRT TO HIDE. LIGHT ON CLEANING. LIGHT ON WATER USAGE. GOOD LOOKING TOO. SIMPLE. BUT BRILLIANT.

VISIT WWW.TWYFORDBATHROOMS.COM
FOR MORE DETAILS ON RIMFREE®

CLEAN

With no concealed rim, there's nowhere for germs to hide, so the toilet is not only hygienic, it's smarter and easier to clean, too.

GREEN

Thealcona rimfree toilet is now available with Twyford's unique Flushwise® 4 and 2.6 litre dual flush technology, using up to 60% less water than a standard toilet.

STYLISH

Rimfree® toilets are available across a selection of our ranges - all with a cool contemporary design and with a range of complimentary washbasins, bidets and furniture, which co-ordinate to create a complete look for every bathroom.



TWYFORD WEBSITE

WWW.TWYFORDBATHROOMS.COM


The Twyford Website has a dedicated area for industry professionals, including the innovative Specifier Tool – www.spec.geberit.com/en-GB for use by architects, designers, specifiers and contractors.

A central download area www.twyfordbathrooms.com/professionals-area/downloads allows users to access and download Twyford technical files including:

- Product sheets (these are the pages in this document)
- Technical drawings
- 2D Files
- 3D Files
- Certificates (approvals)
- BIM Files

Multiple filters are also available to further refine downloads.

Twyford Professionals area also includes links to information on DOP and CE Marking and lists key strategic partners.





KEY CONTACTS

REGISTERED OFFICE

Edgehill Drive, Warwick, Warwickshire CV34 6NH

WEBSITE

www.twyfordbathrooms.com

GENERAL ENQUIRIES

Tel: 01926 516800 Fax: 01926 400101 Email: enquiries.gb@geberit.co.uk

TECHNICAL HELPLINE

Tel: 01926 516800 Fax: 01926 400101 Email: technical@geberit.co.uk

REGULATIONS AND STANDARDS

The following information gives references and sources for UK Regulations and Standards for sanitary provision in commercial and domestic buildings.

These may not be applicable in countries and regions other than the UK and may differ between England, Wales, Scotland & Northern Ireland.

The requirements for the provision of sanitary fittings are, in general, governed by the UK Building Regulations. These, in turn, relate to British and European standards. For some applications specific guidance documents may be relevant e.g. Healthcare.

Twyford has invested heavily in product development and can guarantee that the sanitary ware it supplies fully complies with regulations. All Twyford WCs pass the UK flush test (EN997 Class 2), one of the most stringent flush tests in Europe.

BUILDING REGULATIONS, ENGLAND AND WALES

The Building Regulations for England and Wales exist principally to ensure the health and safety of people in and around buildings. They also provide for access to and around buildings.

The regulations apply to most new buildings and many alterations of existing buildings, whether domestic, commercial or industrial.

The following building regulations refer to sanitary ware, further information is available at: www.planningportal.gov.uk

- Building Regulations Part G - Sanitation, Hot water safety & Water efficiency
- Building Regulations Part H - Drainage and waste disposal
- Building Regulations Part M - Access and use of buildings

BUILDING REGULATIONS, SCOTLAND

The following website is a useful source for the details of the regulations:
www.gov.scot/Topics/Built-Environment/Building/Building-standards

BUILDING CONTROL NORTHERN IRELAND

The following website is a useful source for the details of the regulations:
www.buildingcontrol-ni.com/regulations

WATER REGULATIONS

The Water Supply (Water Fittings) Regulations 1999 are applicable to England and Wales. In Scotland they are known as The Water Byelaws and are there to protect the public water supply from waste, misuse, undue consumption and contamination.

HEALTHCARE (HEALTH BUILDING NOTES)

Issued by the Department of Health, Health Building Notes give best practice guidance on the design and planning of new healthcare buildings and on the adaptation/extension of existing facilities.

They provide information to support the briefing and design processes for individual projects in the NHS building programme.

HBN 00-10 Part C / HTM64

This Health Building Note (HBN) outlines the policy and performance requirements for sanitary assemblies used in healthcare facilities. These requirements are a set of essential standards of quality and safety that sanitary assemblies must comply with. It supersedes Health Technical Memorandum 64 (England only).

For further information visit: www.gov.uk/dh and search for 'health building notes' and 'health technical memoranda' to open the full series.

CODE FOR SUSTAINABLE HOMES

Following the technical housing standards review, in March 2015 the government issued a written ministerial statement withdrawing the code for sustainable homes, aside from the management of legacy cases.

Legacy cases are:

- those where residential developments are legally contracted to apply a code policy (e.g. affordable housing funded through the National Affordable Housing Programme 2015 to 2018, or earlier programme)
- where planning permission has been granted subject to a condition stipulating discharge of a code level, and developers are not appealing the condition nor seeking to have it removed or varied

In these instances only it is possible to continue to register code cases and conduct code assessments.

The code for sustainable homes was the national standard for the sustainable design and construction of new homes. It aimed to reduce carbon emissions and promote higher standards of sustainable design above the current minimum standards set out by the building regulations

The code used a 1 to 6 star system to rate the overall sustainability performance of a new home against 9 different categories of sustainability.

BREEAM (BUILDING RESEARCH ESTABLISHMENT ENVIRONMENTAL ASSESSMENT METHODOLOGY)

First published by the Building Research Establishment (BRE) in 1990, BREEAM is the world's longest established method of assessing, rating, and certifying the sustainability of buildings.

BREEAM works to raise awareness amongst owners, occupiers, designers and operators of the benefits of taking a sustainability approach. It helps them to successfully cost and effectively adopt sustainable solutions, and provides market recognition of their achievements.

BREEAM assessment covers a range of criteria including Energy and Water.

Regarding water the aim of the assessment is to reduce the consumption of potable water for sanitary use in new buildings from all sources through the use of water efficient components and water recycling systems including WCs, Urinals, Taps & Showers.

For more information visit: www.breeam.com

PRODUCT GUARANTEE

Effective June 2024

- 1.1 This product guarantee is given by Geberit Sales Ltd (a company registered in England and Wales with company number 06142557 with its registered address at Geberit House, Edgehill Drive, Warwick, England, CV34 6NH) and applies to Geberit products purchased within the United Kingdom (**guarantee area**).
- 1.2 Consumers have statutory rights under the laws of England and Wales in relation to the sale and purchase of goods, and these statutory rights shall not be adversely affected by this guarantee.
- 1.3 Geberit guarantees that on purchase by the customer of a Geberit product, and for a period of 12 months from the date of purchase (or such other period as set out in paragraph 2 – 4 below) (**guarantee period**), the products shall:
 - 1.3.1 conform in all material respects with their description;
 - 1.3.2 be free from material defects in design, material and workmanship;
 - 1.3.3 be of satisfactory quality (within the meaning of the Consumer Rights Act 2015); and
 - 1.3.4 be fit for any purpose held out by Geberit.
- 1.4 Subject to paragraph 1.5, if:
 - 1.4.1 the customer gives notice in writing to Geberit (either by email to technical@geberit.co.uk or by letter to its registered address) during the guarantee period and within a reasonable time of discovery that some or all of the products do not comply with the guarantee set out in paragraph 1.3.
 - 1.4.2 Geberit is given a reasonable opportunity of examining such products; and
 - 1.4.3 the customer (if asked to do so by Geberit) returns such products to Geberit's place of business at the customer's cost, Geberit shall, at its option, repair or replace the defective products, or refund the price of the defective products in full.
- 1.5 Geberit shall not be liable for any products' failure to comply with the guarantee set out in paragraph 1.3 in any of the following events:
 - 1.5.1 the customer makes any further use of such products after giving notice in accordance with paragraph 1.4;
 - 1.5.2 the defect arises because the customer failed to follow Geberit's oral or written instructions as to the storage, commissioning, installation, use and maintenance of the products or (if there are none) good trade practice regarding the same;
 - 1.5.3 the defect arises as a result of Geberit following any drawing, design or specification supplied by the customer;
 - 1.5.4 the customer alters or repairs such products without the written consent of Geberit;
 - 1.5.5 the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions;
 - 1.5.6 with applicable statutory or regulatory requirements.
- 1.6 The events in paragraph 1.5 above shall apply to any repaired or replacement products supplied by Geberit.
- 1.7 Except as provided in this paragraph 1, Geberit shall have no liability to the customer in respect of the products' failure to comply with the guarantee set out in paragraph 1.3.

PRODUCT GUARANTEE

The guarantee period under paragraph 1.3 shall be amended as set out below for the following products:

PIPING SYSTEMS

Product	Guarantee period
HDPE pipes and fitting	10 years
Geberit FlowFit pipe and fittings	10 years
Silent-PP pipe and fittings	10 years
Silent db20 pipe and fittings	10 years
Pluvia	10 years
Mepla pipes and fitting	10 years
Mapress	10 years
Tools	2 years

INSTALLATION SYSTEMS

Product	Guarantee period
Duofix	10 years
Concealed cisterns	10 years
Traps	10 years
Monolith	10 years
Flush plates excl. electrical	5 years
Pneumatic controls	5 years
360/380/290/380AG/212 valves	5 years
Monolith +	2 years
Electronic flushing controls	2 years
333/340/240 valves	2 years

BATHROOM SYSTEMS

Product	Guarantee period
Ceramics	10 years
Shower enclosures	10 years (2 years on glass coating)
Acrylic bathtubs	10 years
Steel bathtubs	10 years
Shower trays	10 years
Brassware	5 years
Furniture	2 years
Seats and covers	2 years
Fittings	2 years
Stainless steel	2 years
Varicor	2 years
Electrical components	2 years
Accessories	2 years
AquaClean	2 years (3 years with registration)



WCS



environmentally friendly 4/2.6 litre dual flush
co-ordinatingalcona range



Alcona flushwise WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet

AR1248WH

Flushwise® fitted cistern assembly with fittings:
Dual 4/2.6L flush, push button **AR2346WH**
(note: Cistern can be adjusted to 6/4L,
standard flush.)

SEAT AND COVER

Top fix

AR7864WH

Bottom fix

AR7915WH

Soft closing mechanism

AR7851WH

Quick release soft closing
mechanism

AR7857WH

MATERIAL

Vitreous china.

COLOUR

White WH.

FIXINGS

Install pan to floor fixing

500.896.00.1

NOTE

Variation in drainage systems may
necessitate increasing the flush volume to
ensure efficient drainline carry, this can be
done post installation up to 6/4 litre max.

AWARDED

THE WATERWISE MARQUE

Best design WC for water reduction.



Hotels



Commercial



Residential

Twyford

Geberit Group

ALCONA RIMFREE®

environmentally friendly 4/2.6 litre dual flush
co-ordinatingalcona range
rimless design to aid easy cleaning inside



Alcona rimfree® flushwise WC suite, horizontal outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet

AR1948WH

Flushwise® fitted cistern assembly with fittings:
Dual 4/2.6L flush, push button **AR2346WH**
(note: Cistern can be adjusted
to 6/4L, standard flush.)

SEAT AND COVER

Top fix

AR7864WH

Bottom fix

AR7915WH

Soft closing mechanism

AR7851WH

Quick release soft closing
mechanism

AR7857WH

MATERIAL

Vitreous china.

COLOUR

White WH.


FIXINGS

Install pan to floor fixing

500.896.00.1

NOTE

Variation in drainage systems may
necessitate increasing the flush volume to
ensure efficient drainline carry, this can be
done post installation up to 6/4 litre max.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

ALCONA SQUARE

environmentally friendly 4/2.6 litre dual flush
co-ordinatingalcona range



TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet

AR1358WH

Flushwise® fitted cistern assembly with fittings:

Dual 4/2.6L flush, push button

AR2442WH

SEAT AND COVER

Top fix

AR7964WH


Soft closing mechanism

AR7951WH

FIXINGS

Install pan to floor fixing

500.896.00.1



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential




Twyford
Geberit Group

AVALON HO

ergonomically designed cistern lever
raised seating position for ease of use



Avalon close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet	AV1168WH
close coupled cistern and fittings, 6L:	
BSIO, chrome plated lever	AV2611WH
BSIO, with cover clip	AV2711WH

SEAT AND COVER

With stainless steel, bar hinge, top fix and stability buffers:	
White	AV7875WH
Blue	AV7875BE
Grey	AV7875GY

SEAT RING

With stainless steel, bar hinge, top fix and stability buffers:	
White	AV7886WH
Blue	AV7886BE
Grey	AV7886GY

MATERIAL

Vitreous china.

COLOUR

White WH.

FIXINGS (2 X REQUIRED)

Install pan to floor fixing	500.896.00.1
Cistern screwed to wall.	



Hotels



Healthcare



Commercial



Residential



Less Able

Twyford

Geberit Group

AVALON RIMLESS HO

raised seating position for ease of use
4 litre flush to meet BREEAM specifications
fully shrouded to aid easy cleaning outside



Avalon rimless close coupled washdown WC suite, horizontal outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet **AV1968WH**
Close coupled cistern and fittings 4 or 6L:

BSIO, chrome plated spatula lever **AV2661WH**

BSIO, chrome plated spatula lever and cover clip **AV2668WH**

SEAT AND COVER

With stainless steel, bar hinge, top fix and stability buffers:

White **AV7875WH**
Blue **AV7875BE**
Grey **AV7875GY**

SEAT RING

With stainless steel bar hinge, top fix and stability buffers:

White **AV7886WH**
Grey **AV7886GY**
Blue **AV7886BE**

MATERIAL

Vitreous china.

COLOUR

White WH.

FIXINGS


WC screwed to floor, cistern screwed to wall and fixed on wall brackets.

All fixings supplied.

NOTE

Seat options supplied with stability buffers and standard front buffers.

Cistern is pre-set at 6 litres, to flush at 4 litres remove the blue plug from syphon.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

OPTION HO

choice of dual flush button or lever cisterns



Option close coupled washdown WC suite, horizontal outlet, with push button cistern



Option close coupled washdown WC suite, horizontal outlet, with lever cistern

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet

OT1148WH

Close coupled cistern and fittings:

dual flush 6/4L BSIO, push button

OT2396WH

Close coupled cistern and fittings:

dual flush 6/4L BSIO,
chrome plated lever

OT2421WH

Close coupled cistern and fittings:

6L BSIO, chrome plated lever

OT2361WH

SEAT AND COVER

Stainless steel hinges

OT7815WH

Plastic hinges

ST2810WH

MATERIAL


Vitreous china.

COLOUR

White WH.

FIXINGS

WC screwed to floor. cistern screwed to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

OPTION RAISED HEIGHT

co-ordinating Option range
raised seating position for ease of use



Option raised height WC suite, horizontal outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet **OT1348WH**

Close coupled cistern and fittings:
dual flush 6/4L BSIO, push button **OT2396WH**

SEAT AND COVER

Stainless steel hinges **OT7815WH**

MATERIAL


Vitreous china.

COLOUR

White WH.

FIXINGS (2 X REQUIRED)

Install pan to floor fixing **500.896.00.1**



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

SOLA RIMLESS HO

4 litre flush to meet BREEAM specifications
fully shrouded to aid easy cleaning outside
rimless design to aid easy cleaning inside



Sola rimless close coupled washdown WC suite, horizontal outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet **SA1968WH**
*Close coupled cistern and fittings 4 or 6L:
BSIO, chrome plated spatula lever* **AV2661WH**
BSIO, chrome plated spatula lever
and cover clip **AV2668WH**

SEAT AND COVER

With stainless steel, bar hinge, top fix
and stability buffers:
White **AV7875WH**
Blue **AV7875BE**
Grey **AV7875GY**

SEAT RING

With stainless steel bar hinge, top fix
and stability buffers:
White **AV7886WH**
Grey **AV7886GY**
Blue **AV7886BE**

MATERIAL

Vitreous china.

COLOUR

White WH.

FIXINGS


WC screwed to floor, cistern screwed to wall
and fixed on wall brackets.

All fixings supplied.

NOTE

Seat options supplied with stability buffers
and standard front buffers.

Cistern is pre-set at 6 litres, to flush at 4 litres
remove the blue plug from syphon.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

SOLA SCHOOL RIMLESS 300 HO

4 litre flush to meet BREEAM specifications
fully shrouded outside & rimless to aid easy cleaning
left or right hand lever positioning



Sola school rimless 300 close coupled washdown WC suite

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

WC pan, horizontal outlet

SA1512WH

*Close coupled cistern and fittings 4 or 6L:

BSIO, chrome plated spatula lever*

AV2661WH

BSIO, chrome plated spatula lever*
and cover clip

AV2668WH

SEAT

Open front seat ring with top fix
stainless steel hinged:
White

SA1304WH

MATERIAL

Vitreous china.

COLOUR


White WH.

FIXINGS

WC screwed to floor with fixings provided.
Cistern screwed to wall.

NOTE

*Cistern is pre-set at 6 litres, to flush at 4 litres
remove the blue plug from syphon.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Education

Twyford

Geberit Group

SOLA SCHOOL RIMLESS 350 HO

4 litre flush to meet BREEAM specifications
fully shrouded outside & rimless to aid easy cleaning
left or right hand lever positioning



Sola school rimless 350 close coupled washdown WC suite

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

WC pan, horizontal outlet **SA1514WH**

*Close coupled cistern and fittings 4 or 6L:

BSIO, chrome plated spatula lever* **AV2661WH**

BSIO, chrome plated spatula lever*
and cover clip **AV2668WH**

SEAT

Full seat ring with top fix
stainless steel hinges:

White **SA1306WH**

MATERIAL

Vitreous china.

COLOUR

White WH.




FIXINGS

WC screwed to floor with fixings provided.

Cistern screwed to wall.

NOTE

*Cistern is pre-set at 6 litres, to flush at 4 litres
remove the blue plug from syphon.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Education

Twyford
Geberit Group

ALCONA BTW

environmentally friendly 4/2.6 litre dual flush
soft closing mechanism seat option available



Alcona back-to-wall WC suite

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet

AR1438WH

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT AND COVER

Top fix

AR7864WH

Bottom fix

AR7915WH

Soft closing mechanism

AR7851WH

Quick release soft closing mechanism

AR7857WH

MATERIAL


Vitreous china.

COLOURS

White WH.

FIXINGS

WC screwed to floor, and sealed to wall and floor using silicone building sealant (not provided).
cistern screwed to wall. Fittings supplied.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford


Geberit Group

AVALON BTW

raised seating position for ease of use
fully concealed plumbing



Avalon back-to-wall WC suite



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet

AV1168WH

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT AND COVER

With stainless steel, bar hinge, top fix and stability buffers:

White

AV7875WH

Blue

AV7875BE

Grey

AV7875GY

SEAT RING

With stainless steel bar hinge, top fix and stability buffers:

White

AV7886WH

Blue

AV7886BE

Grey

AV7886GY

MATERIAL

Vitreous china.

COLOUR

White WH.

FIXINGS

Install pan to floor fixing

500.896.00.1

(NOTE: 2 REQUIRED)

Seal to wall using silicone building sealant (not provided). Cistern screwed to wall.



Hotels



Healthcare



Commercial



Less Able

Twyford

Geberit Group

AVALON RIMLESS BTW

raised seating position for ease of use
4 litre flush to meet BREEAM specifications
fully shrouded pan with enclosed seat holes



Avalon rimless back-to-wall washdown WC suite, horizontal outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Avalon rimless, horizontal outlet **AV1968WH**

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT RING

With stainless steel bar hinge, top fix and stability buffers:

White **AV7886WH**
Grey **AV7886GY**
Blue **AV7886BE**

SEAT AND COVER

With stainless steel, bar hinge, top fix and stability buffers:

White **AV7875WH**
Blue **AV7875BE**
Grey **AV7875GY**

APPROVALS

HBN 00-10 C, code WC H

MATERIAL


Vitreous china.

COLOUR

White WH.

FIXINGS

Screwed to floor with fixings provided.
Seal to wall and floor using silicone building sealant (not provided).



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

AVALON RIMLESS 700 BTW

raised seating position for ease of use
fully shrouded outside & rimless to aid easy cleaning
extended projection to meet HTM64 requirements



Avalon rimless 700mm projection back-to-wall WC pan

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Avalon rimless 700mm projection,
horizontal outlet **AV1498WH**

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of
lever cisterns. For push button cisterns please
visit www.geberit.co.uk.

EXTENDED FLUSHPIPE

Extended flushpipe **CF6426WH**
Required when installing with a Push Button
(valve) cistern

SEAT RING

With stainless steel bar hinge, top fix
and stability buffers:

White **AV7886WH**
Grey **AV7886GY**
Blue **AV7886BE**

SEAT AND COVER

With stainless steel, bar hinge, top fix
and stability buffers:

White **AV7875WH**
Blue **AV7875BE**
Grey **AV7875GY**

FIXINGS

Screwed to floor with fixings provided.
Seal to wall and floor using silicone building
sealant (not provided).

APPROVALS




HBN 00-10 C, Code WC HD

MATERIAL

Vitreous china.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

AVALON RIMLESS 750 BTW

raised seating position for ease of use
fully shrouded outside & rimless to aid easy cleaning
extended projection to meet Doc.M requirements



Avalon rimless 750mm projection back-to-wall WC pan and extension

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN AND EXTENSION

Avalon rimless 700mm projection,
horizontal outlet **AV1498WH**
Avalon 50mm extension **AV6900WH**

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

EXTENDED FLUSHPIPE

Extended flushpipe **CF6426WH**
Required when installing with a Push Button (valve) cistern

SEAT RING

With stainless steel bar hinge, top fix and stability buffers:

White **AV7886WH**
Grey **AV7886GY**
Blue **AV7886BE**

SEAT AND COVER

With stainless steel, bar hinge, top fix and stability buffers:

White **AV7875WH**
Blue **AV7875BE**
Grey **AV7875GY**

FIXINGS

Screwed to floor with fixings provided.
Seal to wall and floor using silicone building sealant (not provided).

APPROVALS


Doc.M of the Building Regulations (Extension)

MATERIAL

Vitreous china and resin stone

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

SOLA RIMLESS BTW

4 litre flush to meet BREEAM specifications
 fully shrouded outside to aid easy cleaning
 rimless design to aid easy cleaning inside



Sola rimless back-to-wall washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
 Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Sola rimless, horizontal outlet **SA1968WH**

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT RING

With stainless steel bar hinge, top fix and stability buffers:

White **AV7886WH**
 Grey **AV7886GY**
 Blue **AV7886BE**

SEAT AND COVER

With stainless steel, bar hinge, top fix and stability buffers:

White **AV7875WH**
 Blue **AV7875BE**
 Grey **AV7875GY**

MATERIAL

Vitreous china.

COLOUR

White WH.

FIXINGS

Screwed to floor with fixings provided.
 Seal to wall and floor using silicone building sealant (not provided).



Hotels



Healthcare



Education



Commercial



Residential

Twyford

Geberit Group

SOLA SCHOOL RIMLESS 300 BTW

4 litre flush to meet BREEAM specifications
 fully shrouded outside to aid easy cleaning
 rimless design to aid easy cleaning inside



Sola school rimless 300 back-to-wall washdown WC suite

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

WC pan, horizontal outlet

SA1512WH

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT

Open front seat ring with top fix stainless steel hinges:

White

SA1304WH

Blue

SA1304BE

MATERIAL


Vitreous china.

COLOUR

White WH.

FIXINGS

WC screwed to floor with fixings provided.



All measurements shown are in millimetres.
 Drawing sizes are not to scale.



Education

Twyford
 Geberit Group

SOLA SCHOOL RIMLESS 350 BTW

4 litre flush to meet BREEAM specifications
 fully shrouded outside to aid easy cleaning
 rimless design to aid easy cleaning inside



Sola school rimless 350 back-to-wall washdown WC suite

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

WC pan, horizontal outlet

SA1514WH

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT

Full seat ring with top fix stainless steel hinges:

White

Blue

SA1306WH

SA1306BE

MATERIAL


Vitreous china.

COLOUR

White WH.

FIXINGS

WC screwed to floor with fixings provided.



All measurements shown are in millimetres.
 Drawing sizes are not to scale.



Education

Twyford

Geberit Group

ALCONA WALL-HUNG

co-ordinatingalcona range
capable of flushing on environmentally friendly 4/2.6 litre dual flush
optional soft closing mechanism seat



Alcona wall-hung washdown WC suite, horizontal outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet **AR1708WH**

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT AND COVER

Top fix **AR7864WH**

Bottom fix **AR7915WH**

Soft closing mechanism **AR7851WH**

Quick release soft closing mechanism **AR7857WH**

SUPPORTING BRACKET

Supporting bracket and fixing kit **SR8138XX**

MATERIAL


Vitreous china.

COLOURS

White WH.

FIXINGS

Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential


Twyford
Geberit Group

ALCONA WALL-HUNG

co-ordinatingalcona range
capable of flushing on environmentally friendly 4/2.6 litre dual flush



Alcona wall-hung washdown WC suite, horizontal outlet



TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet

AR1708WH

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT AND COVER

Top fix

AR7864WH

Bottom fix

AR7915WH

Soft closing mechanism

AR7851WH

Quick release soft closing mechanism

AR7857WH

SUPPORTING BRACKET

Supporting bracket and fixing kit

SR8138XX

MATERIAL

Vitreous china.

COLOURS

White WH.

FIXINGS

Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

ALCONA COMPACT RIMFREE® WALL HUNG

co-ordinatingalcona range
compact design
rimless design to aid easy cleaning inside



Alcona compact wall-hung washdown WC suite, horizontal outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet **AR1708WH**

CONCEALED CISTERNS

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

SEAT AND COVER

Top fix **AR7864WH**

Soft closing mechanism **AR7851WH**

Quick release soft closing mechanism **AR7857WH**

SUPPORTING BRACKET

Supporting bracket and fixing kit **SR8138XX**

MATERIAL


Vitreous china.

COLOURS

White WH.

FIXINGS

Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

ALCONA SQUARE WALL-HUNG

co-ordinatingalcona range
compact design



TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet

AR1778WH

SEAT AND COVER

Top fix

AR7964WH


Soft close

AR7951WH

SUPPORTING BRACKET

Supporting bracket and fixing kit

SR8138XX



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

CLASSIC LOW LEVEL

cistern reversible right hand or left hand
for use where existing service points cannot be altered



Classic low level washdown WC suite, horizontal outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet	CC1138WH
S trap	CC1131WH
P trap	CC1132WH

Low level cistern and fittings, 6L,
including chrome lever:

BSIO	CC2641WH
SSIO	CC2841WH

BS SEAT AND COVER

Stainless steel, bottom fix hinges:

White	ST6882WH
Black	ST6882BK

BS SEAT RING

Stainless steel, bottom fix hinges:

White	ST6881WH
Blue	ST6881BE

APPROVALS

Horizontal wc bowl to BS5503, ISSO.

S&P wc bowl to BS1213: 1945 (withdrawn)

MATERIAL


Vitreous china.

COLOURS

White WH.

FIXINGS

WC screwed to floor. Cistern screwed to wall
and supported on brackets.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Commercial



Residential

Twyford

Geberit Group

CLASSIC WC BOWLS

for use with classic high & low level cisterns
for use where existing service points cannot be altered



Classic WC bowls

TO SPECIFY/ORDER:

Please use the product reference shown below.

WC PAN

Horizontal outlet	CC1138WH
With fixed P trap	CC1132WH
With fixed S trap	CC1131WH

APPROVALS

H.O. bowl manufactured in accordance with BS5503: 1990

S&P bowls manufactured in accordance with BS1213: 1945 (withdrawn).

MATERIAL


Vitreous china.

COLOURS

White WH.

FIXINGS

WC screwed to floor.



All measurements shown are in millimetres.
Drawing sizes are not to scale.





Commercial



Residential

Twyford
Geberit Group

WC FITTINGS



TO SPECIFY/ORDER:

Please use the product reference shown below.

- **SPECIAL SIZED FLUSHPIPES FOR USE WHERE STANDARD PIPES ARE NOT SUITABLE.**

MATERIALS

Plastics

COLOUR

White WH.

LOW LEVEL FLUSHPIPE

760 x 510mm flushpipe for Stainless Steel

Back inlet hospital units **CF6217WH**

560 x 405mm flushpipe for Delphic Back inlet

WC and Nile Back inlet Hopper **CF6220WH**

560 x 460mm flushpipe for


Alcona Wall-hung WC **CF6426WH**

NOTE

Twyford low level cisterns include as standard:

- a flushbend 240 x 190mm with exposed cisterns
- 355 x 230mm with the Spectrum concealed cistern
- 370 x 270mm Concealed cisterns with valve

Where a cistern is fixed in a position further behind the WC or hopper inlet than shown on the relevant fixture page, the vertical length of the flushbend must be increased by at least half of the increase of horizontal dimensions.



HIGH LEVEL FLUSHPIPE

Flushpipe plastic 2 piece telescopic short, 1675mm

CF6414WH

Flushpipe plastic 2 piece telescopic long, 2035mm

CF6415WH

NOTE

Special flushpipes to suit cisterns fixed in positions other than on the backwall can be supplied to special order. Twyford will be pleased to provide drawings and indicative costs on receipt of a dimensional sketch showing fixture and cistern layout.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

CONCEALED CISTERNS MATRIX

KEY TO TABLE: **DF 6/4** = Dual Flush 6/4 litres
SF 4 = Single Flush 4 litres
SF 6 = Single Flush 6 litres

Cistern part no.	CX9560XX CX9561XX	CX9564XX	CX9540XX
	SF 6	Lever DF 6/4	SF 4
BACK TO WALL			
Alcona	✓	✓	✓
Avalon	✓		
Avalon Rimless	✓	✓	✓
Avalon Rimless 700 Projection	✓	✓	✓
Delphic BI	✓		
Sola Rimless	✓	✓	✓
Sola School Rimless 300	✓	✓	✓
Sola School Rimless 350	✓	✓	✓

WALL-HUNG			
Alcona	✓	✓	✓
Alcona Compact Rimfree®	✓	✓	✓
Alcona Rimfree®	✓	✓	✓

For push button cisterns please visit www.geberit.co.uk.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford
Geberit Group

CONCEALED CISTERNS - LEVER

concealed plastic cistern for front or back wall fixing
 reversible for right or left hand operation
 option of delayed action inlet valve



TO SPECIFY/ORDER

Please use the product reference shown below.

CONCEALED CISTERNS

Concealed cistern, complete with fittings, including chrome plated lever and flushbend:

SSIO 6 litre **CX9560XX**
 BSIO 6 litre **CX9561XX**

SSIO 4 litre with DAIV (delayed action inlet valve) **CX9540XX**

SSIO 6/4 litre, dual flush with DAIV (delayed action inlet valve) **CX9564XX**

ALTERNATIVE SPATULA LEVER
 Spatula lever **CF3109CP**

ALTERNATIVE EXTENDED LEVERS

For duct wall thickness up to 225mm **CF3018CP**

For duct wall thickness up to 340mm **CF3017CP**

APPLICATIONS

For use with WC's (except close coupled) and slop hoppers.

MATERIAL

Plastics


FIXINGS

Screw to wall (screws not supplied).

NOTE

Supplied with lever for duct wall thickness up to 114mm.

The 4 litre product is convertible to 6 litres (post installation), if variations in drainage systems necessitate increasing the flush volume to ensure efficient drain line carry.



All measurements shown are in millimetres.
 Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential




Less Able

Twyford

Geberit Group

CONCEALED CISTERN FITTINGS



Extended duct lever



TO SPECIFY/ORDER

Please use the product reference shown below.

EXTENDED DUCT LEVER

For up to 225mm wall
For up to 340mm wall


CF3018CP
CF3017CP

APPLICATIONS


For low level cisterns concealed in duct.

FIXINGS

Screwed through wall with backnut.



Spatula lever



SPATULA LEVER

For duct wall thickness
up to 114mm

CF3109CP

APPLICATIONS

For low level cisterns concealed in duct.

FIXINGS

Screwed through wall with backnut.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

This seat is suitable
for the following WC bowls:
Alcona



Alcona Square

ALCONA SQUARE SEAT AND COVER

Top fix hinge **AR7964WH**
With soft closing mechanism **AR7951WH**

MATERIAL

Duroplast.

COLOUR

White WH.

This seat is suitable
for the following WC bowls:
Alcona



Alcona

ALCONA SEAT AND COVER

Top fix hinge **AR7864WH**
With soft closing mechanism **AR7851WH**
Quick release hinges
soft closing mechanism **AR7857WH**
Bottom fix hinge **AR7915WH**

MATERIAL

Duroplast.

COLOUR

White WH.

This seat is suitable
for the following WC bowls:
Option only



Option

OPTION SEAT AND COVER

Seat and cover,
stainless steel hinges **OT7815WH**
Seat and cover, plastic hinges **ST2810WH**

MATERIAL

Plastics.

COLOUR

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan



Avalon/Sola Rimless seat and cover

AVALON/SOLA RIMLESS SEAT AND COVER

Stainless steel, bar hinge, top fix

White

Blue

Grey

AV7875WH

AV7875BE

AV7875GY

MATERIAL

Plastics.

COLOUR

White WH, blue BE, grey GY, red RD.

(White RAL 9003, Luminance Value 78)

(Blue RAL 5011, Luminance Value 7)

(Grey RAL 7005, Luminance Value 20)

Supplied with stability buffers as standard.

This seat is suitable
for the following WC bowls:

Avalon Rimless
Sola Rimless



Avalon/Sola Rimless seat ring

AVALON/SOLA RIMLESS SEAT RING

Stainless steel, bar hinge, top fix

White

Blue

Grey

AV7886WH

AV7886BE

AV7886GY

MATERIAL

Plastics.

COLOUR

White WH, blue BE, grey GY, red RD.

(White RAL 9003, Luminance Value 78)

(Blue RAL 5011, Luminance Value 7)

(Grey RAL 7005, Luminance Value 20)

Supplied with stability buffers as standard.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

WC SEATS

This seat is suitable for the following WC bowls: Avalon, Classic & Delphic



BS Seat and Cover

BS SEAT AND COVER

Stainless steel, bottom fix hinges
White

ST6882WH

APPROVALS

B.S. 1254 part 1.

MATERIAL

Plastics.

COLOUR

White WH.

This seat is suitable for the following WC bowls: Avalon, Classic & Delphic



BS Seat ring

BS SEAT RING

Stainless steel, bottom fix hinges
White

ST6881WH

APPROVALS

B.S. 1254 part 1.

MATERIAL

Plastics.

COLOUR

White WH, blue BE.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

This seat is suitable for the following WC bowls:
Sola Schools Rimless
300 WC pan **SA1512WH**



Sola school rimless 300

OPEN FRONT PLASTIC SEAT RING

Stainless steel, top fix hinges
White

SA1304WH

MATERIAL
Plastics.

COLOUR
White WH.

This seat is suitable for the following WC bowls:
Sola Schools Rimless
350 WC pan **SA1514WH**



Sola school rimless 350

FULL SEAT RING

Stainless steel, top fix hinges
White

SA1306WH

MATERIAL
Plastics

COLOUR
White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

WASHBASINS



ALCONA 600,550,500

co-ordinatingalcona range



Alcona 600 x 455mm washbasin and pedestal

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

600 x 455mm:

1 tap hole

AR4311WH

2 tap holes

AR4312WH

550 x 420mm:

1 tap hole

AR4211WH

2 tap holes

AR4212WH

500 x 410mm:

1 tap hole

AR4111WH

2 tap holes

AR4112WH

PEDESTAL

Pedestal

AR4920WH

Semi-pedestal

AR4960WH

WASTE & TRAPS

Refer to wastes & traps.

ALTERNATIVE FIXINGS

Wall bolts (pair)

500.121.00.1

TAP HOLES

25mm

MATERIAL

Vitreous china.

COLOUR

White WH.

FIXINGS

a) Pedestal with basin screwed to wall,
(Pedestal screwed to floor)


b) Wall bolts

OPTIONAL UPGRADE

Total Install[®] pack

TI1967XX

Basin bracket fits basin sizes 600 & 550mm.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

ALCONA 450 HANDRINSE

co-ordinatingalcona range



Alcona 450 x 370mm handrinse basin 1 tap hole

TO SPECIFY/ORDER:

Please use the product reference shown below.

HANDRINSE

450 x 370mm:

1 tap hole

AR4831WH

2 tap holes

AR4832WH

WASTE & TRAPS

Refer to wastes & traps.

FIXINGS

Wall bolts (pair)


500.122.00.1

MATERIAL

Vitreous china.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford
Geberit Group

ALCONA 400 HANDRINSE

co-ordinatingalcona range



TO SPECIFY/ORDER:

Please use the product reference shown below.

HANDRINSE

400 x 330mm:

1 tap hole

AR4811WH

2 tap holes

AR4812WH

PEDESTAL

Pedestal

AR4920WH

WASTE & TRAPS

Refer to wastes & traps.

FIXINGS

Wall bolts (pair)

500.122.00.1


MATERIAL

Vitreous china.

COLOUR

White WH.

Alcona 400 x 330mm handrinse basin



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford
Geberit Group

ALCONA 360 HANDRINSE

co-ordinatingalcona range
smaller, compact design



Alcona 360 x 250mm handrinse basin

TO SPECIFY/ORDER:

Please use the product reference shown below.

HANDRINSE

360 x 250mm
2 tap holes

AR4152WH

WASTE & TRAPS

Refer to wastes & traps.

FIXINGS

Wall bolts (pair)


500.122.00.1

MATERIAL

Vitreous china.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford
Geberit Group

ALCONA 360 HANDRINSE

co-ordinatingalcona range
smaller, compact design



TO SPECIFY/ORDER:

Please use the product reference shown below.

HANDRINSE

360 x 250mm:

1 right hand tap hole

AR4155WH

1 left hand tap hole

AR4156WH

WASTE & TRAPS

Refer to wastes & traps.

FIXINGS

Wall bolts (pair)

500.122.00.1



MATERIAL

Vitreous china.

COLOUR

White WH.

Alcona 360 x 250mm handrinse basin



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford
Geberit Group

ALCONA SQUARE 600

modern, square basin design



Alcona 600 x 450mm washbasin

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

600 x 450mm 1 tap hole
600 x 450mm 2 tap hole

AR4861WH
AR4342WH

PEDESTAL

Pedestal

AR4930WH

SEMI-PEDESTAL

Semi-pedestal

AR4960WH

FIXINGS

Wall bolts (pair)

500.121.00.1

WASTE & TRAPS

Refer to wastes & traps.

MATERIAL


Vitreous china.

COLOUR

White WH.

ALTERNATIVE FIXINGS

Total Install® pack - fixing for non load bearing walls. Refer to Total Install®.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford
Geberit Group

ALCONA SQUARE 500

co-ordinatingalcona range
modern, square basin design



Alcona 500 x 380mm washbasin

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

500 x 380mm 1 tap hole
500 x 380mm 2 tap hole

AR4841WH

AR4802WH

PEDESTAL

Pedestal

AR4930WH

FIXINGS

Wall bolts (pair)

500.122.00.1

WASTE & TRAPS


Refer to wastes & traps.

MATERIAL

Vitreous china.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford
Geberit Group

ALCONA SQUARE 400 HANDRINSE

co-ordinatingalcona range
modern, square basin design



Alcona 400 x 310mm washbasin

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

400 x 310mm 1 tap hole
400 x 310mm 2 tap hole

AR4801WH

AR4842WH

PEDESTAL

Pedestal

AR4930WH

FIXINGS

Wall bolts (pair)

500.121.00.1

WASTE & TRAPS


Refer to wastes & traps.

MATERIAL

Vitreous china.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

ALCONA 350 CORNER

co-ordinatingalcona range
compact design for smaller bathrooms



Alcona 350mm corner washbasin

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

350mm 1 centre tap hole

AR1911WH

PEDESTAL

Pedestal

AR4920WH

FIXINGS

Wall bolts (pair)

500.121.00.1

WASTE & TRAPS


Refer to wastes & traps.

MATERIAL

Vitreous china.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford
Geberit Group

CLASSIC 560

clear centre shelf area
robust design



Classic 560 x 415mm basin

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

560 x 415mm:
2 tap holes

CC4212WH

WALL BRACKETS

Wall brackets

SR1005XX

PEDESTAL

Pedestal

VC5910WH

WASTE & TRAPS

Refer to wastes & traps.

APPROVALS


(i) BS1188: 1974.

MATERIAL

Vitreous china.

COLOURS

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Education



Commercial



Residential

Twyford


Geberit Group

OPTION 550

co-ordinating option range



Option 550 x 440mm basin



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

Pedestal fixing 550 x 440mm:

1 centre tap hole

OT4241WH

2 tap holes no chainstay hole

OT4242WH

2 tap holes with chainstay hole

OT4232WH

PEDESTAL

Pedestal

OT4940WH

SEMI-PEDESTAL

Semi-pedestal

AR4960WH

FIXINGS

Wall bolts (pair)

500.122.00.1

WASTE & TRAPS

Refer to wastes & traps.

MATERIAL

Vitreous china.

COLOUR

White WH.

OPTIONAL UPGRADE

Total Install[®] pack

TT1967XX



Hotels



Commercial



Residential

Twyford

Geberit Group

OPTION 400 HANDRINSE

co-ordinating option range



Option 400 x 330mm handrinse basin 2 tap holes

TO SPECIFY/ORDER:

Please use the product reference shown below.

HANDRINSE

400 x 330mm:

2 tap holes with no chainstay hole **OT4812WH**

2 tap holes with chainstay hole **OT4832WH**

PEDESTAL

Pedestal **OT4940WH**

WASTE & TRAPS

Refer to wastes & traps.

FIXINGS


Wall bolts (pair) **500.121.00.1**

MATERIAL

Vitreous china.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

OPTION 400 HANDRINSE LH/RH TAP HOLE

co-ordinating option range



TO SPECIFY/ORDER:

Please use the product reference shown below.

HANDRINSE

400 x 330mm:

1 tap hole left hand

OT4846WH

1 tap hole right hand

OT4845WH

PEDESTAL

Pedestal

OT4940WH

WASTE & TRAPS

Refer to wastes & traps.

FIXINGS

Wall bolts (pair)

500.121.00.1


MATERIAL

Vitreous china.

COLOUR

White WH.

Option 400 x 330mm handrinse basin right hand tap hole



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

SOLA 600

robust design
deeper side walls for superior strength
enclosed fixings for hygiene



Sola 600mm basin with sola lever action taps

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

600 x 460mm:

2 tap holes

SA4312WH

1 centre tap hole

SA4311WH

PEDESTAL

Pedestal

AR4920WH

SEMI-PEDESTAL

Semi-pedestal

AR4960WH

FIXINGS

Wall bolts 140mm (pair)

500.122.00.1

Total Install™ bracket pack

for 600 basin

TI1960XX

TAPS & MIXERS

Sola

WASTE & TRAPS

Refer to wastes & traps.

MATERIAL

Vitreous china.


COLOUR

White WH

NOTE

2 tap basin - 25mm holes.

1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

SOLA 500

robust design
deeper side walls for superior strength
enclosed fixings for hygiene



Sola 500mm basin with sola 1/2" non-convulsive taps

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

500 x 400mm:

2 tap holes

SA4212WH

1 centre tap hole

SA4211WH

PEDESTAL

Pedestal

AR4920WH

SEMI-PEDESTAL

Semi-pedestal

AR4960WH

FIXINGS

Wall bolts 140mm (pair)

500.122.00.1

Total Install™ bracket pack
for 500 basin

TI1960XX

TAPS & MIXERS

Sola

WASTE & TRAPS

Refer to wastes & traps.

MATERIAL

Vitreous china.


COLOUR

White WH

NOTE

2 tap basin - 25mm holes.

1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford
Geberit Group

SOLA 400

robust design
deeper side walls for superior strength
enclosed fixings for hygiene



Sola 400mm handrinse with sola 1/2" non-concussive taps

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

400 x 345mm:

2 tap holes

SA4112WH

1 centre tap hole

SA4111WH

FIXINGS

Wall bolts 120mm (pair)

500.121.00.1

Wall hangers (pair)

SR5307XX

Total Install™ bracket pack
for 400 basin

TI1961XX

TAPS & MIXERS

Sola

WASTE & TRAPS

Refer to wastes & traps.

MATERIAL

Vitreous china.


COLOUR

White WH

NOTE

2 tap basin - 25mm holes.

1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

SOLA SQUARE 400

No Overflow
modern, square design
smaller, compact design



Sola 400mm basin right hand tap hole

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

400 x 250mm no overflow

Right hand tap hole

SA4815WH

Left hand tap hole

SA4816WH

FIXINGS

Wall bolts 120mm (pair)

500.121.00.1

Total Install™ bracket pack
for 400 basin

TI1961XX

TAPS & MIXERS

Sola

WASTE & TRAPS


Refer to wastes & traps.

MATERIAL

Vitreous china.

COLOUR

White WH



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford
Geberit Group

SOLA MEDICAL 600

no overflow, no chainstay
deeper side walls for superior strength



Sola Medical 600mm basin with sola lever action taps

TO SPECIFY/ORDER:

Please use the product reference shown below:

WASHBASIN

600 x 460mm,
no overflow, no chainstay :
2 tap holes, LB G L
1 right hand tap hole, LB G L
1 left hand tap hole
No tap hole

SA4352WH
SA4355WH
SA4356WH
SA4350WH

FIXINGS

Wall bolts 140mm (pair)
Total Install™ bracket pack
for 600 basin

500.122.00.1

TI1960XX

TAPS & MIXERS

Sola

WASTE & TRAPS

Refer to wastes & traps.

APPROVALS

HBN 00-10 C, code LB G L

MATERIAL


Vitreous china.

COLOUR

White WH

NOTE

2 tap basin - 25mm holes.
1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Geberit Group

SOLA MEDICAL 500

no overflow, no chainstay
deeper side walls for superior strength



Sola Medical 500mm basin with sola lever action taps

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

500 x 400mm,
no overflow, no chainstay:
2 tap holes, LB G M
1 right hand tap hole, LB G M
1 left hand tap hole
1 centre tap hole
No tap hole

SA4252WH
SA4255WH
SA4256WH
SA4251WH
SA4250WH

FIXINGS

Wall bolts 140mm (pair)
Total Install™ bracket pack
for 500 basin

500.122.00.1
TI1960XX

TAPS & MIXERS

Sola

WASTE & TRAPS

Refer to wastes & traps.

APPROVALS

HBN 00-10 C, code LB G M

MATERIAL


Vitreous china.

COLOUR

White WH

NOTE

2 tap basin - 25mm holes.
1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Geberit Group

SOLA MEDICAL 400

no overflow, no chainstay
deeper side walls for superior strength



Sola Medical 400mm handrinse with sola lever action taps

TO SPECIFY/ORDER:

Please use the product reference shown below:

WASHBASIN

400 x 345mm,
no overflow, no chainstay.
2 tap holes
1 right hand tap hole, LB G S
1 left hand tap hole
No tap hole

SA4152WH
SA4155WH
SA4156WH
SA4150WH

FIXINGS

Wall bolts 120mm (pair)
Wall hangers (pair)
Total Install™ bracket pack
for 400 basin

500.121.00.1
SR5307XX

TI1961XX

TAPS & MIXERS

Sola

WASTE & TRAPS

Refer to wastes & traps.

APPROVALS

HBN 00-10 C, code LB G S

MATERIAL


Vitreous china.

COLOUR

White WH

NOTE

2 tap basin - 25mm holes.
1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Geberit Group

SOLA SPECTRUM 500

fully concealed fixings and waste for hygiene and security
hospital pattern basin integral back outlet
connection to concealed services



Sola Spectrum 500 0TH basin

TO SPECIFY/ORDER:

Please use the product reference shown below:

WASHBASIN

Wall fixing no overflow, no chainstay,
back outlet, no tap hole, LB H M:
500 x 410mm

SA4280WH

FIXINGS

Fixing kit includes plastic grid waste,
waste outlet and concealed brackets
for panel fixing
nb. Excludes 1 1/4" plumbing outlet
connection pipe.

SR1314XX

TAPS & MIXERS

Sola wall mounted surgeons mixer:
Fixed spout
Detachable spout

SF1131CP

SF1132CP

APPROVALS





HBN 00-10 C, code LB H M

MATERIAL

Vitreous china.

COLOURS

White WH



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Education



Commercial

Twyford
Geberit Group

ALCONA 560 COUNTERTOP

co-ordinatingalcona range
compact design for smaller bathrooms



Alcona 560 x 475mm countertop basin

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHBASIN

560 x 475mm 1 centre tap hole **AR4561WH**

TAPS & MIXERS

Refer to taps & mixers.

WASTE & TRAPS


Refer to wastes & traps.

MATERIAL

Vitreous china.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford
Geberit Group

Total Install® - an alternative fixation method for washbasins and wc's



Total Install® upgrade pack

TO SPECIFY/ORDER:

Please use the product reference shown below.

TOTAL INSTALL® UPGRADE PACK

Total Install® pack - 280mm centres
Applicable to Alcona, Option and Energy collections.

TI1967XX

PACK INCLUDES:

Basin bracket and fixings
WC pan to floor fixings (not shown)
Isolating valve



Total Install® bracket kits - 280mm or 225mm centres

TOTAL INSTALL® BRACKET KIT

Total Install® bracket kit 280mm centres **TI1962XX**
Total Install® bracket kit 225mm centres **TI1961XX**

**CHECK THE WASHBASIN HOLE CENTRES
MEASUREMENT
TO DETERMINE THE CORRECT TOTAL INSTALL
BRACKET KIT.**

PACK INCLUDES:

Basin bracket and fixings

Fixing guidance:						
Wall Type	Brick	Block	Timber > 75mm	Timber or panel < 75mm	Plasterboard	Foam filled
Basin wall mounted or with semi pedestal						
Wall bolts	✓	✓	✓	✘	✘	✘
Total Install® Bracket	✘	✘	✘	✘	✘	✘
Basin wall mounted with full pedestal						
Wall bolts	✓	✓	✓	✘	✘	✘
Total Install® Bracket	●	●	●	✓	✓	✓

Key:


- ✓ Recommended
- Alternative
- ✘ Not recommended

The above is for guidance only. If in doubt, contact a qualified structural engineer.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to washbasin

ACCESSORIES



TO SPECIFY/ORDER:

Please use the product reference shown below.

ALCONA CERAMIC SHELF

500mm

AR9850WH

600mm

AR9860WH

MATERIAL

Vitreous china.

COLOUR

White WH

FIXINGS

Not included

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

BATHS



ASPECT 1700 X 700/750

square design to co-ordinate with square washbasins
ungripped bath



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1700 x 700mm acrylic bath, encapsulated:
2 centre tap holes, no grips **AP8502WH**

1700 x 700mm acrylic bath, encapsulated:
0 tap holes, no grips **AP8500WH**

1700 x 750mm acrylic bath, encapsulated:
0 tap holes, no grips **AP8550WH**

BATH PANELS

Refer to bath panels

BATH SCREENS

Suitable for a folding or fixed bath screen.
For options refer to bath screens.

WASTES

Refer to wastes

APPROVALS

Baths manufactured to European & British
Standards EN263/EN14516 CL1

MATERIAL


Made from 4mm acrylic sheet reinforced with
glass fibre. Encapsulated baseboard.

COLOURS

White WH.

FIXINGS

Supported on wooden frame with steel cradle
and adjustable feet. Clips provided for
securing to wall.



1700 x 700 bath
(1700 x 750 bath)

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group

SIGNATURE 1700 X 700

integral headrest and twin soap recesses
patterned standing area
includes chrome grips



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1700 x 700mm acrylic bath, with chrome plated grips:
No tap holes
2 centre tap holes

SE8520WH
SE8522WH

BATH PANELS

Refer to bath panels

BATH SCREEN

Suitable for a folding or fixed bath screen.

WASTES

Refer to wastes

GRIPS

Chrome plated

BG1365CP

ALTERNATIVE PANELS AND WASTES

Please refer to the pages at the end of this section.

MATERIAL


Made from acrylic sheet reinforced with glass fibre.

COLOURS

White WH.

FIXINGS

Supported by wooden frame with steel cradle and adjustable feet. Clips provided for securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford
Geberit Group

CELTIC LOW CAPACITY 1700 X 700

economy low volume steel bath with fast fix leg set
1.8mm thick
low capacity - 140 litres to over flow



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1700 x 700mm porcelain enamelled steel bath:

2 tap, grips, slip resist, with legs **CE1572WH**

BATH PANELS

Refer to bath panels

BATH SCREEN

Suitable for a folding or fixed bath screen.

WASTES

Refer to wastes

MATERIAL

Standard gauge (1.5mm) pressed steel.




Enamelled to BS1344 (0.3mm).

COLOURS

White WH.

FIXINGS

Bolt on adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

CELTIC 1700 X 700

economy general purpose steel bath
fast fix leg set
1.8mm thick



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1700 x 700mm porcelain enamelled steel bath:

No tap, ungripped, plain, with legs **BS1500WH**

BATH PANELS

Refer to bath panels

BATH SCREEN

Suitable for a folding or fixed bath screen.

WASTES

Refer to wastes

LEGSET

(Optional with no tap baths)

Legset and wall clips

BG6041XX

MATERIAL

Standard gauge (1.5mm) pressed steel.


Enamelled to BS1344 (0.3mm).

COLOURS

White WH.

FIXINGS

Bolt on adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

78

CELTIC 1600 X 700

economy general purpose steel bath
fast fix leg set
1.8mm thick



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1600 x 700mm porcelain enamelled steel bath:

2 tap, ungripped, plain, with legs **BS1202WH**

2 tap, grips, plain, with legs **BS1222WH**

2 tap, grips, slip resist, with legs **BS1272WH**

BATH PANELS

Refer to bath panels.

BATH SCREEN

Suitable for a folding or fixed bath screen.

WASTES

Refer to wastes

MATERIAL




Standard gauge (1.5mm) pressed steel.
Enamelled to BS1344 (0.3mm).

COLOUR

White WH.

FIXINGS

Bolt on adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford
Geberit Group

CELTIC 1500 X 700

economy general purpose steel bath
fast fix leg set
1.8mm thick



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1500 x 700mm porcelain enamelled steel bath:

2 tap, ungripped, plain, with legs **BS1402WH**

2 tap, grips, plain, with legs **BS1422WH**

2 tap, grips, slip resist, with legs **BS1472WH**

BATH PANELS

Refer to bath panels

BATH SCREEN

Suitable for a folding or fixed bath screen.

WASTES

Refer to wastes

MATERIAL




Standard gauge (1.5mm) pressed steel.
Enamelled to BS1344 (0.3mm).

COLOUR

White WH.

FIXINGS

Bolt on adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

80

NEPTUNE 1700 X 700

standard gauge pressed steel
optional permanent slip resistant standing area
2.3mm thick



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1700 x 700mm porcelain enamelled steel bath,
with chrome plated grips:

2 tap, ungripped, plain **NE9502WH**

2 tap, grips, slip resist **NE9572WH**

No tap, ungripped, slip resist **NE9590WH**

2 tap, ungripped, slip resist **NE9592WH**

DEDICATED BATH PANELS

Neptune 1700mm front panel

NL7700WH

Neptune 700mm end panel

NL7701WH

BATH SCREEN

Suitable for a folding or fixed bath screen.

MATERIAL


Standard gauge (1.8mm) pressed steel.
Enamelled to BS1344 (0.5mm).

COLOURS

White WH.

FIXINGS

Cradles with adjustable legs. Screwed to floor and
secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

NEPTUNE 1500 X 700

standard gauge pressed steel
optional permanent slip resistant standing area
2.3mm thick



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1500 x 700mm porcelain enamelled steel bath:
2 tap, ungripped, plain **NE9402WH**
2 tap, grips, slip resist **NE9472WH**

DEDICATED BATH PANELS

Neptune 1500mm front panel **NL7500WH**
Neptune 700mm end panel **NL7701WH**

BATH SCREEN

Suitable for a folding or fixed bath screen.

WASTES

Refer to wastes

MATERIAL


Standard gauge (1.8mm) pressed steel.
Enamelled to BS1344 (0.5mm).

COLOURS

White WH.

FIXINGS

Cradles with adjustable legs. Screwed to floor and secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

SHALLOW 1700 X 700

typical bathing requires approximately 130 litres of water
permanent slip resistant standing area
2.3mm thick



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1700 x 700 porcelain enamelled steel bath:

2 tap, grips, slip resist

SB1772WH

DEDICATED BATH PANELS

Neptune 1700mm front panel

NL7700WH

Neptune 700mm end panel

NL7701WH

BATH SCREEN

Suitable for a folding or fixed bath screen.

WASTES

Refer to wastes

MATERIAL





Standard gauge (1.8mm) pressed steel.
Enamelled to BS1344 (0.5mm).

COLOURS

White WH.

FIXINGS

Cradles with adjustable legs. Secured to wall
with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

SHALLOW 1500 X 700

typical bathing requires approximately 110 litres of water
permanent slip resistant standing area
2.3mm thick



TO SPECIFY/ORDER:

Please use the product reference shown below.

BATH

1500 x 700mm porcelain enameled steel bath:
2 tap, grips, slip resist **SB1372WH**

DEDICATED BATH PANELS

Neptune 1500mm front panel **NL7500WH**
Neptune 700mm end panel **NL7701WH**

WASTES

Refer to wastes

MATERIAL





Standard gauge (1.8mm) pressed steel.
Enamelled to BS1344 (0.5mm).

COLOURS

White WH.

FIXINGS

Cradles with adjustable legs. Secured to wall
with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

BATH PANELS

twin skin polystyrene
bonded deep ribbed backing for strength & rigidity



Endurance bath panels

TO SPECIFY/ORDER:

Please use the product reference shown below.

ENDURANCE

Front panel 1700mm

PP2181WH

End panel 700mm

PP2182WH

End panel 750mm

PP2183WH

MATERIAL

Twin skin polystyrene (outer skin 3mm, inner skin 2mm).

COLOURS

White WH.

FIXINGS


Secured under bath rim using clips supplied with bath and screwed to timber blocks (not provided).

NOTE

Suitable for use with 1700mm baths. Can be trimmed if required.



Reverse side of the panel



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial




Residential

Twyford
Geberit Group

BATH PANELS



Galerie Callisto bath panels



TO SPECIFY/ORDER:

Please use the product reference shown below.

GALERIE CALLISTO

Front panel
(for baths up to 1700mm) **GN7121WH**

Front panel
(for baths up to 1500mm) **GN7125WH**

End panel (for baths up
to 700mm wide) **GN7122WH**

MATERIAL

Moulded styrene 3.5mm thick.

COLOURS

White WH.

FIXINGS

Secured under bath rim using clips supplied and
screwed to timber blocks (not provided).



Hotels



Residential


Twyford

Geberit Group

BATH PANELS



Neptune bath panel



TO SPECIFY/ORDER:

Please use the product reference shown below.

NEPTUNE (DEDICATED TO NEPTUNE BATHS)

Design panel:

Front panel (for 1700mm baths) **NL7700WH**
 Front panel (for 1500mm baths) **NL7500WH**

MATERIAL

Moulded styrene 1.8mm thick.

COLOURS


White WH.

FIXINGS

Secured under bath rim using clips supplied with bath and screwed to timber blocks (not provided).



Omnifit bath panels



TO SPECIFY/ORDER:

Please use the product reference shown below.

OMNIFIT

Front panel (for 1700mm baths) **PP2171WH**
 Front panel (for 1524mm baths) **PP2175WH**
 End panel (for baths up to 800mm wide) **PP2172WH**

MATERIAL

Moulded styrene 2mm thick.

COLOURS

White WH.

FIXINGS

Secured under bath rim using clips supplied with bath and screwed to timber blocks (not provided).

All measurements shown are in millimetres.
 Drawing sizes are not to scale.



Hotels



Commercial




Residential

Twyford

Geberit Group

WASTES & TRAPS



Classique waste

TO SPECIFY/ORDER:

Please use the product reference shown below.


FINISHES

Chrome plated CP.

CLASSIQUE 1½" CHAIN WASTE AND OVERFLOW

Chrome plated

CQ5824CP



Combined waste

TO SPECIFY/ORDER:

Please use the product reference shown below.


FINISHES

Chrome plated CP.

COMBINED POP-UP WASTE/OVERFLOW

Chrome plated

WF5369CP



Chain waste

TO SPECIFY/ORDER:

Please use the product reference shown below.

FINISHES

Chrome plated CP.

CHAIN WASTE/OVERFLOW

Chrome plated

WF5650CP

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to bath.

Twyford
Geberit Group

TAPS & MIXERS



SOLA 1/2" LEVER BIB TAPS

back inlet lever action bib tap
BREEAM compliant when fitted with flow restrictor
shrouded metal quarter turn




Back inlet lever action bib taps



6" Long levers

48



118

92

Sola 1/2" Lever BIB Taps, Pair – SF2301CP

Dynamic Pressure	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Flow Rate (Litres per minute)	12.4	16.1	18.4	25	29	32

The above values are for a single tap only

All measurements shown are in millimetres.
Drawing sizes are not to scale.



TO SPECIFY/ORDER:

Please use the product reference shown below.

1/2" BIB TAPS LEVER ACTION

Back inlet, pair **SF2301CP**
6" Long levers (pair) **SF2704CP**

PLATE - FOR BIB TAPS:

77mm projection, pair **SF2701CP**
115mm projection, pair **SF2702CP**
115mm projection, single, concealed **ZQ5567XX**

FINISH

Chrome plated CP.

APPROVALS

HBN 00-10 C, code TBH1
BREEAM (when flow restrictor fitted)
WRAS Approved



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

SOLA 1/2" CROSS HEAD BIB TAPS

back inlet bib taps cross head
BREEAM compliant when fitted with flow restrictor



Back inlet bib taps cross head

TO SPECIFY/ORDER:

Please use the product reference shown below.

1/2" BIB TAPS CROSS HEAD

Back inlet, pair

SF2302CP

PLATE - FOR BIB TAPS:

77mm projection, pair

SF2701CP

115mm projection, pair

SF2702CP

115mm projection,
single, concealed

ZQ5567XX

FINISH

Chrome plated CP.


APPROVALS

KIWA

BREEAM (when flow restrictor fitted)

WRAS Approved

48



92

128

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

SOLA 1/2" LEVER ACTION TAPS

BREEAM compliant when fitted with flow restrictor



TO SPECIFY/ORDER:

Please use the product reference shown below.

1/2" LEVER ACTION PILLAR TAPS

Pair
6" Long levers (pair)

SF2401CP
SF2704CP


FINISH

Chrome plated CP.

APPROVALS

HBN 00-10 C, code TP5
BREEAM (when flow restrictor fitted)
WRAS Approved

Lever action pillar taps



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

SOLA 1/2" HIGH NECK LEVER TAPS

brass back nut
complete with open nozzle & flow straightener
BREEAM compliant when fitted with flow restrictor



High neck lever action pillar taps

TO SPECIFY/ORDER:

Please use the product reference shown below.

1/2" HIGH NECK LEVER ACTION PILLAR TAPS

Pair SF2403CP
6" Long levers (pair) SF2704CP

EXTENSION TUBES FOR USE WITH BELFAST SINKS


Pair SF2703CP

FINISH

Chrome plated CP.

APPROVALS

HBN 00-10 C, code TP3*, KIWA*,
BREEAM (when flow restrictor fitted)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

SOLA 1/2" NON-CONCUSSIVE TAPS

complete with spray mixer & flow straightener
water saving operation
complete with flow restrictor to meet BREEAM



Non-concussive tap (pair)



TO SPECIFY/ORDER:

Please use the product reference shown below.

1/2" NON-CONCUSSIVE TAP

Pair **SF2251CP**
Single **SF2252CP**

FINISH

Chrome plated CP.

APPROVALS

BSEN816
WRAS Approved

RECOMMENDED OPERATING PRESSURE

Minimum operating pressure 0.5 bar.
Maximum operating pressure 10 bar.

NOTE

Suitable for tap hole sizes 25-32mm.
At an inlet pressure of 1 bar taps
give approximately 15 seconds
(+or - 3 seconds) of flow after
button is pressed.

Flow rates for SF2151CP and SF2152CP

Pressure (bar)	0.1	0.2	0.3	0.4	0.5	0.6	0.8	1	2	3	4	5
With restrictor (l/min) for BREEAM	1.8	2.4	2.9	3.4	3.8	4.2	4.8	5.3	6.5	7.4	7.9	8.3
Without restrictor (l/min)	3.8	5.3	6.7	7.6	8.5	9.3	10.8	12.0	17.0	20.4	N/A	N/A

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Less Able

Twyford


Geberit Group

SOLA NON-CONCUSSIVE TAP

water saving operation
temperature controlled when fitted with mixing valve
complete with flow straightener



Non-concussive monobloc



TO SPECIFY/ORDER:

Please use the product reference shown below.

TEMPERATURE CONTROLLED NON-CONCUSSIVE MONOBLOC

Single **SF2104CP**
Flow restrictor 3.0 LPM x2 **SF0200XX**

THERMOSTATIC MIXING VALVE

Single applications - 15mm **SF1037XX**

FINISH

Chrome plated CP.

APPROVALS

HBN 00-10 C, code TPP1
TMV2 & TMV3 Approved
when installed with SF1037XX
WRAS Approved



RECOMMENDED OPERATING PRESSURE

Minimum operating pressure 0.5 bar (dynamic).
Maximum operating pressure 5 bar.

NOTE

At an inlet pressure of 1 bar taps
give approximately 15 seconds
(+ or - 3 seconds) of flow after button
is pressed.

Flow Rate (Litres per minute)	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
Standard	5.1	7.2	10.7	13.5	16.2	18.5
Flow Limiter Fitted (Part No:SF0200XX)	2.0	2.1	2.2	2.39	2.7	2.7

All measurements shown are in millimetres. Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

SOLA SINGLE LEVER BASIN MONO MIXER

complete with ceramic cartridge
 accompanying flexible tails
 suitable for both high and low pressure applications



TO SPECIFY/ORDER:

Please use the product reference shown below.

SOLA BASIN MONO MIXER

sola basin mono mixer

SF5357CP

FINISH

Chrome plated CP.

APPROVALS

WRAS approved


RECOMMENDED OPERATING PRESSURE

Minimum operating pressure 0.3bar.

Maximum operating pressure 5.0bar.

Maximum static pressure 10.0bar.

sola basin mono mixer



Mono Mixer Tap - SF5357CP

Flow Rate Max (Ltrs/Min)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
With Fitted flow Restrictor	4.3	6.8	7.5	7.5	7.5	7.5
With 3.5ltr flow Restrictor	1.5	2.1	2.8	3.5	3.3	3.2
Without Flow Restrictor	4.3	6.8	9.5	13.1	16.0	20.7

All measurements shown are in millimetres.
 Drawing sizes are not to scale.



Hotels



Education



Commercial



Less Able

Twyford


Geberit Group

SOLA INFRA-RED TAP - BATTERY

Timed flow control automatically shuts off water flow
Hygiene flush after 24 hours of none use
Copper inlets as standard



Sola infra-red tap - battery



TO SPECIFY/ORDER:

Please use the product reference shown below.

INFRA RED MONOBLOC

Single - battery operated **SF2610CP**

THERMOSTATIC MIXING VALVE

Single applications - 15mm **SF1037XX**

CONVERSION KIT

Electric 240v conversion kit **SF1020CP**

FINISH

Chrome plated CP.

APPROVALS

WRAS approved

RECOMMENDED OPERATING PRESSURE

Minimum operating pressure 1 bar.
Maximum operating pressure 5 bar.
Maximum static pressure 8 bar

NOTE

Supplied with full service and maintenance instructions.
Suitable for tap hole sizes 30-36mm.
Hygiene flush after 24 hours of none use.
Hygiene flush on time 10 seconds.
Battery Life 100,000 cycles (approx).

Infra Red Tap – SF2610CP

Flow Rate (Litres per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Fitted Flow Regulator	2.6	3.3	3.6	3.8	4.2
With Supplied Flow Regulator	5.6	6.7	7.0	7.5	7.6
Without Flow Regulator	12.1	16.7	20.1	24.3	29.9



Hotels



Healthcare



Education



Commercial



Less Able

Twyford


Geberit Group

SOLA INFRA-RED TAP - MAINS

Timed flow control automatically shuts off water flow
Hygiene flush after 24 hours of none use
Copper inlets as standard



Sola infra-red tap - mains



Infra Red Tap – SF2611CP

Flow Rate (Litres per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Fitted Flow Regulator	2.6	3.3	3.6	3.8	4.2
With Supplied Flow Regulator	5.6	6.7	7.0	7.5	7.6
Without Flow Regulator	12.1	16.7	20.1	24.3	29.9

TO SPECIFY/ORDER:

Please use the product reference shown below.

INFRA RED MONOBLOC

Single - mains operated **SF2611CP**

THERMOSTATIC MIXING VALVE

Single applications - 15mm **SF1037XX**

CONVERSION KIT

Electric 240v conversion kit **SF1020CP**

FINISH

Chrome plated CP.

APPROVALS

WRAS approved

RECOMMENDED OPERATING PRESSURE

Minimum operating pressure 1 bar.
Maximum operating pressure 5 bar.
Maximum static pressure 8 bar

NOTE

Supplied with full service and maintenance instructions.
Suitable for tap hole sizes 30-36mm.
Hygiene flush after 24 hours of none use.
Hygiene flush on time 10 seconds.



Hotels



Healthcare



Education



Commercial



Less Able




Twyford

Geberit Group

SOLA THERMOSTATIC BASIN MIXER WITH FIXED SPOUT

self-draining spout
open hole outlet
flexible or copper hoses as standard

Sola Thermostatic Basin Mixer Tap



TO SPECIFY/ORDER:

Please use the product reference shown below.

SOLA THERMOSTATIC BASIN MIXER TAP

*Including flexible hoses and service valve

SF1138CP

SOLA THERMOSTATIC BASIN MIXER TAP

Including copper tails and service valve

SF1140CP

FINISH

Chrome plated CP.

APPROVALS

BREEAM compliant.

TMV3 Approved

*WRAS Approved



RECOMMENDED OPERATING PRESSURE

Maximum inlet pressure Static 12bar

Maximum Recommended operating pressure 5bar

Minimum Operating Pressure 0.2bar

Maximum Inlet temperature 85°C

Minimum Inlet Temperature 10°C

Maximum un-balanced pressure ratio (without flow regulator) 5:1

*Minimum Temperature differential 10°C

Pre-set Factory outlet temperature 38°C

*Temperature difference between inlet temperature (Hot or Cold) and outlet temperature to ensure failsafe operation.

Sola Thermostatic Basin Mixer Tap - SF1138CP/SF1140CP

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	2.7	3.1	3.7	3.8	4.1	4.2

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford


Geberit Group

SOLA THERMOSTATIC BASIN MIXER WITH DETACHABLE SPOUT

cool touch
removable spout suitable for autoclaving
self-draining spout with smooth internals and open hole outlet



Sola Thermostatic Basin Mixer with Detachable Spout



TO SPECIFY/ORDER:

Please use the product reference shown below.

THERMOSTATIC BASIN MIXER TAP

Single lever sequential thermostatic basin mixer tap:
Including copper tails and service valves

SF1139CP

FINISH

Chrome plated CP.

APPROVALS

BREEAM compliant.
TMV3 Approved.
HBN 00-10 C, code TP6, HBN-04-01-A
WRAS Approved



RECOMMENDED OPERATING PRESSURE

Maximum inlet pressure Static 12bar

Maximum Recommended operating pressure 5bar

Minimum Operating Pressure 0.2bar

Maximum Inlet temperature 85°C

Minimum Inlet Temperature 10°C

Maximum un-balanced pressure ratio (without flow regulator) 5:1

Maximum Un-balance pressure ratio (with flow regulator) 15:1

*Minimum Temperature differential 10°C

Pre-set Factory Outlet Temperature 38°C

*Temperature difference between inlet temperature (Hot or Cold) and outlet temperature to ensure failsafe operation.

SOLA THERMOSTATIC BASIN MIXER WITH DETACHABLE SPOUT - SF1139CP

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	2.7	2.9	3.5	3.9	4.3	4.4

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford


Geberit Group

100

THERMOSTATIC MIXING VALVES

TO SPECIFY/ORDER:

Please use the product reference shown below.



15mm Mixing valve

THERMOSTATIC MIXING VALVE

Single applications - 15mm

SF1037XX

FINISH

Chrome plated.

APPROVALS

TMV2

TMV3

WRAS Approved



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

101

SOLA THERMOSTATIC DM SURGEONS MIXER LEVER

flow straightener compliant to HTM 04-01
removable spout version suitable for autoclaving
self draining spout with smooth internals



Deck mounted

TO SPECIFY/ORDER:

Please use the product reference shown below.

SOLA THERMOSTATIC SURGEONS MIXER, LEVER, INCLUDING

Deck mounted, fixed spout **SF1133CP**
Deck mounted, detachable spout **SF1134CP**

FINISH

Chrome plated CP

APPROVALS

BREEAM compliant
TMV3
WRAS Approved



RECOMMENDED OPERATING PRESSURE


Minimum operating pressure 1 bar.
Maximum static pressure 12 bar.
Maximum dynamic pressure 5 bar.

AVAILABLE ACCESSORIES

Flushing kit **SF0115XX**
Filter housing removal tool **SF0116XX**
Removable spout **SF0117CP**
Nozzle outlet **SF0118CP**

ADDITIONAL FEATURES

- One piece thermostatic cartridge
- Complete with brass back nuts
- Built in pasteurisation facility
- Isolation valves, check valves & filters front accessible
- Cool touch body



Manual Surgeons Mix SF1133/4CP

CP

Flow Rate (Litre's per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	4.1	4.6	5.1	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial



Twyford
Geberit Group

SOLA THERMOSTATIC WM SURGEONS MIXER LEVER

flow straightener compliant to HTM 04-01
removable spout version suitable for autoclaving
self draining spout with smooth internals



Wall mounted



TO SPECIFY/ORDER:

Please use the product reference shown below.

SOLA THERMOSTATIC SURGEONS MIXER, LEVER, INCLUDING

Wall mounted, fixed spout **SF1131CP**
Wall mounted, detachable spout **SF1132CP**

FINISH

Chrome plated CP

APPROVALS

BREEAM compliant
TMV3
WRAS Approved
HBN 00-10 C, code TB H2A



RECOMMENDED OPERATING PRESSURE

Minimum operating pressure 1 bar.
Maximum static pressure 12 bar.
Maximum dynamic pressure 5 bar.

AVAILABLE ACCESSORIES

Flushing kit **SF0115XX**
Filter housing removal tool **SF0116XX**
Removable spout **SF0117CP**
Nozzle outlet **SF0118CP**

ADDITIONAL FEATURES

- One piece thermostatic cartridge
- complete with brass back nuts
- Built in pasteurisation facility
- Isolation valves, check valves & filters front accessible
- Cool touch body

Manual Surgeons Mixer – SF1131/2¹

CP

Flow Rate (Litres per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	4.1	4.6	5.1	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford


Geberit Group

SOLA THERMOSTATIC SURGEONS MIXER INFRARED

removable spout version suitable for autoclaving
self draining spout with smooth internals
24 hour automatic hygiene flush (flow time 60 seconds)



Detachable spout



TO SPECIFY/ORDER:

Please use the product reference shown below.

SOLA THERMOSTATIC WALL MOUNTED SURGEONS MIXER, INFRARED, INCLUDING

Fixed spout **SF1129CP**
Detachable spout **SF1130CP**

Electric 240v conversion kit **SF1020CP**

FINISH

Chrome plated CP

APPROVALS

BREEAM compliant
TMV3
WRAS Approved
HBN 00-10 C, code TB H6



RECOMMENDED OPERATING PRESSURE

Minimum operating pressure 1 bar.
Maximum static pressure 12 bar.
Maximum dynamic pressure 5 bar.

AVAILABLE ACCESSORIES

Flushing kit **SF0115XX**
Filter housing removal tool **SF0116XX**
Removable spout **SF0117CP**
Nozzle outlet **SF0118CP**

ADDITIONAL FEATURES

- Infrared operation, wave on/off with 60 second pre-set flow times
- Cool touch body
- One piece thermostatic cartridge
- Compliant to HTM0401, PRH8941.0.6, HBN00.09
- Built in pasteurisation facility
- Isolation valves, check valves & filters front accessible

Infra Red Surgeons Mixer – SF1129CP & SF1130CP

Flow Rate (Litres per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	4.1	4.6	5.1	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Geberit Group


104

SOLA INFRA RED SPOUT

sensor underside of tap for hygienic non-touch operation
 automatically stops after 70 seconds maximum
 battery or mains powered



Sola wall mounted infra red spout, round



TO SPECIFY/ORDER:

Please use the product reference shown below.

WALL MOUNTED INFRA RED SPOUT

Round **SF1249CP**

THERMOSTATIC MIXING VALVE

Single applications 15mm **SF1037XX**

FINISH

Chrome plated CP.

APPROVALS

TMV2 & TMV3 Approved when installed with SF1037XX
 BREEAM compliant



RECOMMENDED OPERATING PRESSURE

Min. operating pressure 0.5 bar
 Maximum operating pressure 5.0 bar

POWER

Mains
 Transformer 220-240V AC 50Hz 0.2A

BATTERY

6V DC (4x AA, provided)

NOTE

Flow - up to 70 seconds

Wall Mounted Infra-Red Spout, Round – SF1249CP

Flow Rate Max (Ltrs/Min)	0.5 Bar	1 Bar	1.5 Bar	2.0 Bar	3.0 Bar	5.0 Bar
With Flow Limiter fitted	4.3	3.8	3.8	3.8	3.8	3.8

All measurements shown are in millimetres.
 Drawing sizes are not to scale.



Commercial

Twyford
 Geberit Group

SOLA SURGEONS MIXER ACCESSORIES

accessories suitable for use with sola thermostatic surgeons mixer
refer to individual product pages for where used



Flushing kit

FLUSHING KIT

Flushing kit
SF0115XX

FINISH
Brass.



Filter housing removal tool

FILTER HOUSING REMOVAL TOOL

Filter housing removal tool
SF0116XX

FINISH
Brass.



Removable spout

REMOVABLE SPOUT

Removable spout
SF0117CP

FINISH
Chrome plated CP.



Nozzle outlet

NOZZLE OUTLET

Nozzle outlet
SF0118CP

FINISH
Chrome plated CP.


All measurements shown are in millimetres.
Drawing sizes are not to scale.

SOLA THERMOSTATIC CONCEALED SHOWER VALVES

antiscald failsafe technology
thermostatic control
ergonomic operation



sola thermostatic shower valve - concealed



TO SPECIFY/ORDER:

Please use the product reference shown below.

THERMOSTATIC SHOWER VALVE

Concealed valve **SF1137CP**
Concealed valve inc. Wall Outlet Elbow **SF1555CP**

SHOWER RAIL

Sola Shower rail, hose & head - single function, smooth hose **SF1256CP**
Sola Shower rail, hose & head - multi function, braided hose **SF1261CP**

FINISH

Chrome plated CP.

APPROVALS

HBN 00-10 C, code (TM1)
WRAS Approved



SYSTEM REQUIREMENTS

Suitable for use with unvented supplies, combi boilers, gravity and mains pressure systems.

RECOMMENDED OPERATING PRESSURE

Max Inlet pressure static 10 Bar.
Max recommended dynamic pressure 5 Bar.
Min operating pressure dynamic 0.2 Bar.
Max unbalanced pressure ratio 5:1.
Inlet connections 15mm.
Outlet connections 1/2".
Max inlet temperature 85°C.
Min Temp differential to ensure failsafe between hot and cold supplies 10°C.

NOTE

Pre-set factory temperature setting 38°C.
Suitable for use with unvented supplies, combi boilers, gravity and mains pressure systems.

SOLA TMV3 SHOWER VALVE, CONCEALED - SF1137CP & SF1555CP						
Pressure	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Flow Rate (Litres per minute)	8.6	10.5	15.2	18.8	22.6	24.5



Hotels



Education



Commercial



Residential



Less Able

Twyford
Geberit Group

SOLA THERMOSTATIC EXPOSED SHOWER VALVES

antiscald failsafe technology
thermostatic control
ergonomic operation



sola thermostatic shower
bottom outlet



sola thermostatic shower
top outlet

TO SPECIFY/ORDER:

Please use the product reference shown below.

THERMOSTATIC SHOWER VALVE

Exposed valve bottom outlet **SF1136CP**
Exposed valve top outlet **SF1135CP**

SHOWER RAIL

Sola Shower rail, hose & head **SF1256CP**
Sola Shower rail, hose & head **SF1261CP**
- multi function, braided hose

FINISH

Chrome plated CP.

APPROVALS

WRAS Approved



SYSTEM REQUIREMENTS


Suitable for use with unvented supplies, combi boilers, gravity and mains pressure systems.

RECOMMENDED OPERATING PRESSURE


Max Inlet pressure static 10 Bar.
Max recommended dynamic pressure 5 Bar.
Min operating pressure dynamic 0.2 Bar.
Max unbalanced pressure ratio 5:1.
Inlet connections 15mm.
Outlet connections 1/2".
Max inlet temperature 85°C.
Min Temp differential to ensure failsafe between hot and cold supplies 10°C.

NOTE

Pre-set factory temperature setting 38°C.
Suitable for use with unvented supplies, combi boilers, gravity and mains pressure systems.



Bottom outlet



Top outlet

SOLA TMV3 SHOWER VALVE, EXPOSED - SF1135CP & SF1136CP

Pressure	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Flow Rate (Litres per minute)	8.4	11.4	15.2	18.6	22.1	23.9



Hotels



Healthcare



Education



Commercial



Residential




Less Able

Twyford
Geberit Group

SOLA NON-CONCUSSIVE SHOWER

exposed non-concussive shower valve and anti-vandal head
flow restrictor fitted to meet BREEAM



TO SPECIFY/ORDER:

Please use the product reference shown below.

NON-CONCUSSIVE SHOWER VALVE AND VANDAL RESISTANT HEAD

Exposed **SF1215CP**

THERMOSTATIC MIXING VALVE

Single applications - 15mm **SF1037XX**

FINISH

Chrome plated CP.

APPROVALS

BREEAM compliant

*TMV2 & TMV3 Approved
when installed with SF1037XX



RECOMMENDED OPERATING

PRESSURE

Minimum operating pressure 0.1 bar.

Maximum rec. operating pressure 3 bar.

NOTE

At an inlet pressure of 1 bar valve gives
approximately 25 seconds (+ or - 3
seconds) of flow after button is pressed.
Inlet connections 15mm.
Outlet connections 2 x 1/2" BSP.

sola non-concussive thermostatic shower valve & head - exposed

FLOW RATES SF1205CP									
Pressure (bar)	0.1	0.2	0.5	1.0	2.0	3.0	4.0	5.0	
Without restrictor (l/min)	2.6	4.3	7.1	10.6	15.4	19.1	19.8	25.8	
With restrictor (l/min) for BREEAM	1.7	3.1	4.9	7.1	8.5	8.7	8.2	8.6	

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial


Twyford

Geberit Group

109

SOLA SHOWER FITTINGS

soap dish
height adjustable handset
available as single or three mode handset



sola shower rail, hose & head - single function

SHOWER RAIL, HOSE & HEAD

Sola Shower Rail Hose & Head
Single Function, smooth hose

SF1256CP

*Outlet Boss

SF1150CP

FINISH: Chrome plated CP

APPROVALS

WRAS approved


RECOMMENDED OPERATING PRESSURE

Min. operating pressure 0.1 bar.
Max. dynamic pressure 5 bar.
1500mm hose.

* When used with a Concealed shower



RISER RAIL SHOWER KIT, SINGLE FUNCTION HEAD - SF1256CP						
Flow Rate (Litres per minute)	0.5	1.0	2.0	3.0	4.0	4.0
Without Flow Regulator Fitted	9.2	12.7	18.2	22.3	26.	29.1
8 ltr/min Flow Limiter (Supplied)	5.4	7.1	8.4	7.8	7.5	7.6



sola shower rail, hose & head - multi function

SHOWER RAIL, HOSE & HEAD

Sola Shower Rail Hose & Head
- Multi Function, braided hose

SF1261CP

*Outlet Boss

SF1150CP

FINISH: Chrome plated CP

APPROVALS

WRAS approved

RECOMMENDED OPERATING PRESSURE

Min. operating pressure 0.1 bar.
Max. dynamic pressure 5 bar.
1500mm hose.

* When used with a Concealed shower



RISER RAIL SHOWER KIT, MULTI FUNCTION HEAD - SF1261CP						
Flow Rate (Litres per minute)	0.5	1.0	2.0	3.0	4.0	4.0
Without Flow Regulator Fitted	10.2	14.2	18.9	24.0	27.1	30.5

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential




Less Able

Twyford

Geberit Group

SOLA SHOWER FITTINGS

soap dish
height adjustable handset
available as single or three mode handset



SHOWER RAIL, HOSE & HEAD

Sola Shower Rail Hose & Head
Single Function, braided hose

SF1231CP

FINISH

Chrome plated CP

APPROVALS

BS8300

RECOMMENDED OPERATING PRESSURE

Min. operating pressure 0.1 bar.
Max. dynamic pressure 5 bar.

sola shower rail, hose & head - single function

Flow Rate (Litre's per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Through Handset (Flow Regulator Fitted)	3.9	5.3	8.0	8.5	9.0	9.0

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential




Less Able

Twyford

Geberit Group

SOLA SHOWER FITTINGS

TO SPECIFY/ORDER:
Please use the product reference shown below.



sola shower vandal resistant head

Shower vandal resistant head **SF1353CP**

FINISH
Chrome plated CP.

APPROVALS

BREEAM compliant
WRAS Approved

RECOMMENDED OPERATING PRESSURE

Minimum operating pressure 0.2 bar.
Maximum operating pressure 10 bar.


NOTE

Flow regulator fitted, remove if not required.
Single flow.
Durable.



VANDAL RESISTANT SHOWER HEAD - SF1353CP

Flow Rate (Litre's per minute)	1 Bar	1.5 Bar	2 Bar	2.5 Bar	3 Bar	4 Bar	5 Bar
8 ltr/min Flow Limiter Fitted (supplied)	4.9	5.5	6.3	6.8	7.4	8.0	8.3




sola shower diverter

Shower diverter **SF1304CP**

FINISH
Chrome plated CP.

NOTE

3 way diverter with central off position.



sola shower diverter

Shower diverter **SF1207CP**

FINISH
Chrome plated CP.

NOTE

3 way diverter with central off position.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial





Less Able

Twyford
Geberit Group

ACCESSORIES

suitable for sola bib taps,
refer to individual product pages



Back inlet bib tap
extension tube/wall plate

1/2" BIB TAPS EXTENSION TUBE/WALL PLATE - FOR BIB TAPS:

77mm projection, pair

77mm projection, single

115mm projection, pair

115mm projection,
single, concealed

SF2701CP

SF2705CP

SF2702CP

ZQ5567XX

FINISH: Chrome plated CP.

All measurements shown are in millimetres. Drawing
sizes are not to scale.

Twyford
Geberit Group

SHOWER TRAYS



TWYFORD TRAYS - SQUARE FLAT TOP

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Square flat top tray

TO SPECIFY/ORDER:

Please use the product reference shown below.

SQUARE - FLAT TOP SHOWER TRAY

760 x 760mm	TR6111WH
800 x 800mm	TR6121WH
900 x 900mm	TR6131WH
1000 x 1000mm	TR6141WH

ACCESSORIES

Standard legset & panel kit (for trays up to 1200mm)	TR6012WH
---	-----------------

MATERIAL

Tray: 2/2.5mm acrylic capped ABS, reinforced with limestone filled polyconcrete.


Panel: 2mm gloss UPVC (Unplasticized polyvinyl chloride).

COLOURS

White WH.

NOTE

All trays can be installed flat to floor, or used in conjunction with legset & panel kit (to be ordered separately).



Part Number	Description	A	B
TR6111WH	760 x 760 4 Flat Top Tray	770	770
TR6121WH	800 x 800 4 Flat Top Tray	810	810
TR6131WH	900 x 900 4 Flat Top Tray	910	910
TR6141WH	1000 x 1000 4 Flat Top Tray	1010	1010

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential


Twyford
Geberit Group

TWYFORD TRAYS - RECTANGLE FLAT TOP

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Rectangle flat top tray



Part Number	Description	A	B
TR6331WH	900 x 760 Flat Top Tray	910	770
TR6341WH	1000 x 760 Flat Top Tray	1010	770
TR6342WH	1000 x 800 Flat Top Tray	1010	810
TR6351WH	1100 x 800 Flat Top Tray	1110	810
TR6361WH	1200 x 760 Flat Top Tray	1210	770
TR6362WH	1200 x 800 Flat Top Tray	1210	810
TR6463WH	1200 x 900 Flat Top Tray	1210	910
TR6381WH	1400 x 900 Flat Top Tray	1410	910
TR6391WH	1500 x 800 Flat Top Tray	1510	810
TR6301WH	1600 x 800 Flat Top Tray	1610	810
TR6302WH	1700 x 700 Flat Top Tray	1710	710
TR6303WH	1700 x 750 Flat Top Tray	1710	760
TR6304WH	1700 x 800 Flat Top Tray	1710	810

All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

RECTANGLE - FLAT TOP SHOWER TRAY

900 x 760mm	TR6331WH
1000 x 760mm	TR6341WH
1000 x 800mm	TR6342WH
1100 x 800mm	TR6351WH
1200 x 760mm	TR6361WH
1200 x 800mm	TR6362WH
1200 x 900mm	TR6463WH
*1400 x 900mm	TR6381WH
*1500 x 800mm	TR6391WH
*1600 x 800mm	TR6301WH
*1700 x 700mm	TR6302WH
*1700 x 750mm	TR6303WH
*1700 x 800mm	TR6304WH

ACCESSORIES

Standard legset & panel kit
(for trays up to 1200mm) **TR6012WH**

Extension legset & panel kit
(for trays over 1200mm) **TR6013WH**

MATERIAL

Tray: 2/2.5mm acrylic capped ABS, reinforced with limestone filled polyconcrete.
Panel: 2mm gloss UPVC (Unplasticized polyvinyl chloride).

COLOURS

White WH.

NOTE

All trays can be installed flat to floor, or used in conjunction with legset & panel kit (to be ordered separately).

*If installing with legs & panels, BOTH a standard leg/panel kit AND an extension leg/panel kit must be ordered.



Hotels



Healthcare



Education



Commercial



Residential

Twyford
Geberit Group

TWYFORD TRAYS - QUADRANT FLAT TOP

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Quadrant flat top tray

TO SPECIFY/ORDER:

Please use the product reference shown below.

QUADRANT - FLAT TOP SHOWER TRAY

800mm **TR6521WH**

900mm **TR6531WH**

1000mm **TR6541WH**

ACCESSORIES

Quadrant legset & panel kit **TR6011WH**

MATERIAL

Tray: 2/2.5mm acrylic capped ABS, reinforced with limestone filled polyconcrete.


Panel: 2mm gloss UPVC (Unplasticized polyvinyl chloride).

COLOURS

White WH.

NOTE

All trays can be installed flat to floor, or used in conjunction with legset & panel kit (to be ordered separately).



Part Number	Description	A	B	C	D
TR6521WH	800 x 800 Flat Top Tray	810	810	500	500
TR6531WH	900 x 900 Flat Top Tray	910	910	600	600
TR6541WH	1000 x 1000 Flat Top Tray	1010	1010	700	700

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential

Twyford
Geberit Group

TWYFORD TRAYS - SQUARE UPSTAND

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Square upstand tray

TO SPECIFY/ORDER:

Please use the product reference shown below.

SQUARE - 4 UPSTAND SHOWER TRAY

760 x 760mm **TR6211WH**

800 x 800mm **TR6221WH**

900 x 900mm **TR6231WH**

ACCESSORIES

Standard legset & panel kit
(for trays up to 1200mm)

TR6012WH

MATERIAL

Tray: 2/2.5mm acrylic capped ABS, reinforced with limestone filled polyconcrete.


Panel: 2mm gloss UPVC (Unplasticized polyvinyl chloride).

COLOURS

White WH.

NOTE

All trays can be installed flat to floor, or used in conjunction with legset & panel kit (to be ordered separately).



Part Number	Description	A	B
TR6211WH	760 x 760 4 Upstand Tray	770	770
TR6221WH	800 x 800 4 Upstand Tray	810	810
TR6231WH	900 x 900 4 Upstand Tray	910	910

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential


Twyford
Geberit Group

TWYFORD TRAYS - RECTANGLE UPSTAND

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Rectangle upstand tray



TO SPECIFY/ORDER:

Please use the product reference shown below.

RECTANGLE - 4 UPSTAND SHOWER TRAY

900 x 760mm	TR6431WH
1000 x 760mm	TR6441WH
1000 x 800mm	TR6442WH
1200 x 760mm	TR6461WH
1200 x 800mm	TR6462WH
*1400 x 900mm	TR6481WH
*1700 x 750mm	TR6401WH

ACCESSORIES

Standard legset & panel kit
(for trays up to 1200mm) **TR6012WH**

Extension legset & panel kit
(for trays over 1200mm) **TR6013WH**

MATERIAL

Tray: 2/2.5mm acrylic capped ABS, reinforced with limestone filled polyconcrete.

Panel: 2mm gloss UPVC (Unplasticized polyvinyl chloride).

COLOURS

White WH.

NOTE

All trays can be installed flat to floor, or used in conjunction with legset & panel kit (to be ordered separately).

*If installing with legs & panels, BOTH a standard leg/panel kit AND an extension leg/panel kit must be ordered.

Part Number	Description	A	B
TR6431WH	900 x 760 4 Upsatnd Tray	910	770
TR6441WH	1000 x 760 4 Upstand Tray	1010	770
TR6442WH	1000 x 800 4 Upstand Tray	1010	810
TR6461WH	1200 x 760 4 Upstand Tray	1210	770
TR6462WH	1200 x 800 4 Upstand Tray	1210	810
TR6481WH	1400 x 900 4 Upstand Tray	1410	910
TR6401WH	1700 x 750 4 Upstand Tray	1710	760

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential

Twyford
Geberit Group

TWYFORD TRAYS - QUADRANT UPSTAND

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Quadrant upstand tray

TO SPECIFY/ORDER:

Please use the product reference shown below.

QUADRANT - 2 UPSTAND SHOWER TRAY

800mm **TR6621WH**

900mm **TR6631WH**

ACCESSORIES

Quadrant legset & panel kit **TR6011WH**

MATERIAL

Tray: 2/2.5mm acrylic capped ABS, reinforced with limestone filled polyconcrete.


Panel: 2mm gloss UPVC (Unplasticized polyvinyl chloride).

COLOURS

White WH.

NOTE

All trays can be installed flat to floor, or used in conjunction with legset & panel kit (to be ordered separately).



Part Number	Description	A	B	C	D
TR6621WH	800 x 800 2 Upstand Tray	810	810	500	500
TR6631WH	900 x 900 2 Upstand Tray	910	910	600	600

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential

Twyford
Geberit Group

TWYFORD TRAY ACCESSORIES

all the products below can be used in conjunction with Twyford Trays



Upstand/seal kit

FLEXIBLE UPSTAND/SEAL KIT

2800mm long

TR6014WH

2.8 METRE FLEXI SEAL STRIP...

- Transforms any flat top tray to a tiling upstand option.
- The professional solution for a watertight shower tray and bath.



Waste pipe

FLEXIBLE WASTE PIPE

1200mm long

TR6015WH

EXTENDABLE FLEXI WASTE PIPE...

- Extends up to approx 1000mm
- Reduces plumbing installation time
- Tested to 1 bar pressure



Legset and panel kits: TR6012WH, TR6013WH & TR6011WH

LEGSET & PANEL KITS

Standard legset & panel kit
(for trays up to 1200mm)

TR6012WH

Extension legset & panel kit
(for trays over 1200mm)

TR6013WH

Quadrant legset & panel kit

TR6011WH

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential

Twyford

Geberit Group

121

URINALS



CAMDEN

shallow open bowl design with water guide channels
exposed or concealed cistern and flushpipes



Concealed

Exposed

TO SPECIFY/ORDER:

Please use the product reference shown below.

URINAL

350 x 500 x 330mm
Wall hangers

VC7003WH
SR5307XX

FLUSHPIPES

Exposed (univ) flushpipes and spreaders:

1 person **SS6051SS**
2 person **SS6052SS**
3 person **SS6053SS**

Concealed (univ) flushpipes and spreaders:

1 person **SS6251SS**
2 person **SS6252SS**
3 person **SS6253SS**

AUTO CISTERN INCLUDING FIXINGS

No cover,
4.5L (single bowl) - VC **CX8711WH**
9L (2/3 bowls) - VC **CX8712WH**
9L (2/3 bowls) - Plastic **CX9122XX**

DIVISION

Division **VC7051WH**

OUTLET GRATING

Outlet grating, 1 1/2" **WF9370XX**

TRAP


Please refer to traps.

MATERIAL

Vitreous china.
Stainless steel (flushpipe & spreaders)

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial

Twyford

Geberit Group

123

CLIFTON

exposed or concealed cistern and flushpipes
compact design with deep bowl



Exposed

Concealed

TO SPECIFY/ORDER:

Please use the product reference shown below.

URINAL

305 x 445 x 375mm

Wall hangers

VC7002WH

SR5307XX

FLUSHPIPES

Exposed (univ) flushpipes and spreaders:

1 person

SS6051SS

2 person

SS6052SS

3 person

SS6053SS

Concealed (univ) flushpipes and spreaders:

1 person

SS6251SS

2 person

SS6252SS

3 person

SS6253SS

AUTO CISTERN INCLUDING FIXINGS

No cover,

4.5L (single bowl) - VC

CX8711WH

9L (2/3 bowls) - VC

CX8712WH

9L (2/3 bowls) - Plastic

CX9122XX

DIVISION

Division

VC7051WH

OUTLET GRATING

Outlet grating, 1 1/2"

WF9370XX

TRAP

Please refer to traps.


MATERIAL

Vitreous china.

Stainless steel flushpipe and spreaders.

COLOUR

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial

Twyford

Geberit Group

124

CLIFTON PACKS

exposed cistern and flushpipes
compact design with deep bowl



2 persons

TO SPECIFY/ORDER:

Please use the product reference shown below.

URINAL PACKS

1 person, exposed **PK9604WH**
2 persons, exposed **PK9605WH**

COMPRISING COMPONENTS

1 person:

Clifton urinal x 1
Wall hangers x 1
Outlet grating 1.5" x 1
Exposed flushpipes - 1 person x 1
Auto cistern 4.5 litre x 1

2 persons:

Clifton urinal x 2
Wall hangers x 2
Outlet grating 1.5" x 2
Exposed flushpipes - 2 persons x 1
Auto cistern 9 litre x 1

DIVISION

Division **VC7051WH**

TRAP

Please refer to traps.

MATERIAL

Vitreous china.
Stainless steel flushpipe and spreaders.

COLOUR

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial

Twyford

Geberit Group

125

SPECTRUM

fully concealed cistern, flushpipes and waste pipes
designed for panel faced ducts
anti-vandal



Concealed

TO SPECIFY/ORDER:

Please use the product reference shown below.

URINAL

360 x 560 x 330mm

VC7004WH

FLUSHPIPES

Concealed (univ) flushpipes and spreaders:

1 person

SS6251SS

2 person

SS6252SS

AUTO CISTERN INCLUDING FIXINGS

No cover,

4.5L (single bowl) - VC

CX8711WH

9L (2/3 bowls) - VC

CX8712WH

9L (2/3 bowls) - Plastic

CX9122XX

Division

VC7051WH

URINAL FIXING KIT

Fixing kit including bracket and
plastic waste/grating

SR8096XX

APPROVALS

HBN 00-10 C, code URH

MATERIAL


Vitreous china.

COLOUR

White WH.

FIXINGS

Bowl fitted on concealed hangers onto panels
up to 20mm thick.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

126

URINAL DIVISION

For use with all Twyford urinals.



Urinal division

TO SPECIFY/ORDER:

Please use the product reference shown below.


Urinal division, including fixings **VC7051WH**

MATERIAL

Vitreous china.

COLOURS

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial

Twyford
Geberit Group

AUTOMATIC CISTERNS

flushing cycle controlled by rate of water refill
concealed fixings



Automatic cisterns (VC illustrated)

TO SPECIFY/ORDER:

Please use the product reference shown below.

AUTO CISTERN INCLUDING FIXINGS


No cover,	
4.5L (single bowl) - VC	CX8711WH
9L (2/3 bowls) - VC	CX8712WH
14L (4/5 bowls) - VC	CX8713WH
9L (2/3 bowls) - Plastic	CX9122XX

MATERIAL


Vitreous china or Plastic.

COLOURS


White WH.



VC - 4.5 LITRE CISTERNS



VC - 9 AND 14 LITRE CISTERNS



PLASTIC - ALL SIZES.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

WASTES

TO SPECIFY/ORDER:

Please use the product reference shown below.



Outlet grating

OUTLET GRATING

1 1/2" outlet grating

WF9370XX

NOTE

Suitable for camden and clifton urinal bowls.

FINISHES

White plastics.

COLOURS

White XX.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to urinal.

FIRECLAY



BELFAST SINKS

easy clean stain-resistant glazed surface
designed to withstand heavy use



Belfast sink

TO SPECIFY/ORDER:

Please use the product reference shown below.

SINK

a b c
610 x 455 x 255mm

FC1271WH

FIXINGS (SEE BELOW TABLE)

- (a) Build-in brackets
- (b) Screw to wall brackets
- (c) Legs and bearers

TAPS & MIXERS

Refer to taps & mixers.

MATERIAL


Enamelled fireclay.

COLOUR

White WH.

NOTE

Build-in brackets should be used on masonry walls. Screw to wall brackets should be used on adequate timber frame walls.



Sink pattern	Build in brackets specify number	Screw to wall brackets specify number	Legs and bearers specify number
FC1271WH	SR1333XX	SR1342XX	SR3044XX

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

CLEANER'S SINKS

easy clean stain-resistant glazed surface
designed to withstand heavy use
stainless steel hinged bucket grating



High back cleaner's sink



Cleaner's sink

TO SPECIFY/ORDER:

Please use the product reference shown below.

SINK

Cleaner's sink 465 x 400mm,
sink with grating

FC1034WH

High back sink 470 x 400mm
with 310mm high splash back
and grating

FC1044WH

FIXINGS

Legs and supports
Build-in brackets, painted (pair)

SR3048XX

SR1331XX

RECOMMENDED TAPS & MIXERS

1/2" bib taps cross head,
back inlet, pair

SF2302CP

1/2" bib taps extension tube/wall plate
190mm projection, pair

SF2702CP

For alternative taps please see taps & mixers.

MATERIAL


Enamelled fireclay.
Stainless steel grating.

COLOUR

White WH.

NOTE

Screw to wall brackets are not suitable to
support this fixture. Build-in brackets can
only be used when fixing to masonry walls.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford
Geberit Group

WASHING TROUGH

multi purpose washing trough
easy clean, stain resistant, designed to withstand heavy use



Washing trough

TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHING TROUGH

1000 x 390 x 200mm
Brackets (pair)

FC2350WH
SR1350XX

RECOMMENDED TAPS & MIXERS

1/2" bib taps lever action
Back inlet, pair

SF2301CP

1/2" bib taps extension tube/wall plate
150mm projection, pair

SF2701CP


For alternative taps please see taps & mixers.

MATERIAL

Enamelled fireclay.

COLOURS

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Education




Commercial

Twyford
Geberit Group

GENERAL FITTINGS

TO SPECIFY/ORDER:

Please use the product reference shown below.



Screw-to-wall bracket

BRACKET, SCREW-TO-WALL

305mm
400mm

SR1340XX
SR1342XX

MATERIAL

Cast iron.

FIXINGS


Screwed to wall. Use 2½" x no. 12 countersunk woodscrews (not provided).

FINISH

Plain painted.

NOTE

Sinks up to 405mm projection use 305mm bracket.
Sinks of 455mm projection use 400mm bracket.



Build-in bracket

	A	B	C	D
	305	35	87	57
	350	28	100	48
	400	29	105	50

BUILD-IN BRACKET

305mm
350mm
400mm

SR1331XX
SR1332XX
SR1333XX

MATERIAL


Cast iron.

FINISH

Plain painted.

NOTE

Cleaners sink use 305mm brackets.
Sinks up to 405mm projection use 350mm bracket.
Sinks of 455mm projection use 400mm bracket.



Ref No	A	B
SR3044XX	635	405
SR3046XX	685	330
SR3048XX	305	300

LEGS AND STAYS

MATERIAL

Tubular steel legs. Cast iron bearers.

FINISH

Plastics coated leg with painted bearers.

FIXING

Bearers screwed to wall, legs screwed to floor.

NOTE

Legs have adjustable height feet to compensate for uneven floors.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to individual product pages.

Twyford
Geberit Group

STAINLESS STEEL




INSET VANITY BASIN

ideal for use with vanity units
easy to clean



Inset washbowl 360mm



TO SPECIFY/ORDER:

Please use the product reference shown below.

INSET WASH BOWL

360mm diameter, no tap holes, no overflow
high polish finish, including waste **PS8503SS**

TAPS & MIXERS

Refer to taps & mixers

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
0.9mm steel thickness.

COLOUR

Stainless steel. Polished inside and outside.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial


Twyford
Geberit Group

WALL-HUNG BASIN 500

wall mounted washbasin supplied on apron support



Wall-hung basin 500 with apron



TO SPECIFY/ORDER:

Please use the product reference shown below.

WASH HAND BASIN

Wall-hung basin with apron including grid waste and apron support:

508 x 420mm x 127mm, 1 centre tap hole,
no overflow, satin polish finish **PS4032SS**

508 x 420mm x 127mm, 2 tap holes,
no overflow, satin polish finish **PS4033SS**

TAPS & MIXERS

Refer to taps & mixers

MATERIAL

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
0.9mm steel thickness.

COLOUR

Stainless steel.

FIXINGS

Wall fixings (not supplied).

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford
Geberit Group

INSET VANITY BOWL

ideal for use with vanity units
easy to clean



Inset washbowl 406mm

TO SPECIFY/ORDER:

Please use the product reference shown below.

INSET BOWLS

Inset bowls, satin polish finish, 2 tap holes, with overflow, waste and fixing clips:
406 x 260 X 127mm

PS8701SS

TAPS & MIXERS

Refer to taps & mixers

MATERIAL


Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 0.9mm steel thickness.

COLOUR

Stainless steel.

FIXINGS

Fixing clips (supplied).



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial






Twyford
Geberit Group

WASHING TROUGH

ideal for schools



Washing trough, 2 person, 2 tap holes



TO SPECIFY/ORDER:

Please use the product reference shown below.

WASHING TROUGH

Washing trough, no overflow, 1.5" waste, satin polish finish:

1200 x 370mm, LH outlet, 2psn, 2TH **PS9311SS**
1200 x 370mm, RH outlet, 2psn, 2TH **PS9312SS**

1800 x 370mm, LH outlet, 3psn, 3TH **PS9313SS**
1800 x 370mm, RH outlet, 3psn, 3TH **PS9318SS**

2400 x 370mm, LH outlet, 4psn, 4TH **PS9319SS**
2400 x 370mm, RH outlet, 4psn, 4TH **PS9320SS**

LEG SUPPORTS

Leg set (pair)

PS4064SS

TAPS & MIXERS

Refer to taps & mixers

MATERIAL

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.2mm steel thickness.

COLOUR

Stainless steel.

FIXINGS

- (i) Screw to wall (fixings not supplied).
- (ii) Leg supports available

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial

Twyford
Geberit Group

FLOOR STANDING BUCKET SINK

ideal for where there is a need to dispose of waste water



Floor standing bucket sink

TO SPECIFY/ORDER:

Please use the product reference shown below.

BUCKET SINK

648 x 508 x 890mm floor standing bucket sink, splash back, hinged grating, flushgrated waste, legset & complete with integral wall brackets

PS4044SS

TAPS & MIXERS




Refer to taps & mixers

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 1.5mm (Top) 0.9mm (Bowl) steel thickness.

COLOUR

Stainless steel.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford
Geberit Group

WALL-HUNG BUCKET SINK

ideal for where there is a need to dispose of waste water



Wall-hung bucket sink

TO SPECIFY/ORDER:

Please use the product reference shown below.

SINK

500 x 400 x 460mm wall-hung bucket sink, splashback, hinged grating and waste

PS5044SS

TAPS & MIXERS


Refer to taps & mixers

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. Steel thickness 1.2mm (splashback) 0.9mm (bowl).

COLOUR

Stainless steel.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial


Twyford
Geberit Group

SINGLE HOSPITAL SINK

radiused easy clean internal surfaces
underside sound deadened



Hospital sink with single bowl, no tap holes



TO SPECIFY/ORDER:

Please use the product reference shown below.

HOSPITAL SINK

600 x 600 x 254mm, includes waste,
satin polish finish:

Single bowl, no tapholes SK 1 **PS9023SS**
Single bowl, two tapholes SK 1 **PS9223SS**

FIXINGS

Cantilever brackets (pair) **PS9018SS**
Leg & bearer brackets (pair) **PS9019SS**

TAPS & MIXERS

Refer to taps & mixers

APPROVALS

HBN 00-10 C, code SK 1

MATERIAL

Stainless steel type 304 to EN 1 4401 or
SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.2mm (top) 0.9mm (bowl) steel thickness.

COLOUR

Stainless steel.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial


Twyford
Geberit Group

DOUBLE HOSPITAL SINKS

radiused easy clean internal surfaces
underside sound deadened



Hospital sink with double bowl, no tap holes, cantilever bracket & legs



TO SPECIFY/ORDER:

Please use the product reference shown below.

HOSPITAL SINK

1200 x 600 x 254mm, includes waste, satin polish finish:

Double bowl, no tapholes SK 2 **PS9024SS**
Double bowl, two tapholes SK 2 **PS9424SS**

FIXINGS

Cantilever brackets (pair) **PS9018SS**
Leg & bearer brackets (pair) **PS9019SS**

TAPS & MIXERS

Refer to taps & mixers

APPROVALS

HBN 00-10 C, code SK 2

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 1.2mm (top) 0.9mm (bowl) steel thickness.

COLOUR

Stainless steel.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial




Twyford
Gerbit Group

PLASTER SINK

designed for use where casting materials are prepared and soaked



Plaster sink and worktop (left hand drainer illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

PLASTER SINK AND WORKTOP

1200 x 600 x 418mm, satin polish finish,
no tap holes, complete with basket lid
and grated outlet waste:

Left hand drainer, right hand sink PS HPS9115SS

Right hand drainer, left hand sink PS HPS9215SS

FIXINGS

Cantilever brackets (pair)

PS9018SS

Leg & bearer brackets (pair)

PS9019SS

TAPS & MIXERS

Refer to taps & mixers

APPROVALS

HBN 00-10 C, code PS H

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.

1.2mm (top) 0.9mm (bowl) steel thickness.

COLOUR

Stainless steel.



Healthcare



Commercial




Twyford
Geberit Group

SCRUB-UP TROUGHS

easy clean fully radiused internal corners



Scrub-up trough 800mm (RH outlet illustrated)



TO SPECIFY/ORDER:

Please use the product reference shown below.

SCRUB-UP TROUGH

800 x 400 x 427.5mm, trap shroud,
fixing bracket, bottom outlet for waste,
satin polish finish:
RH outlet, SU H 1 **PS9120SS**
LH outlet, SU H 1 **PS9220SS**

1600 x 400 x 427.5mm, waste, trap shroud,
fixing bracket, satin polish finish,
bottom outlet for waste:
Right hand outlet, SU H 2 **PS9121SS**
Left hand outlet, SU H 2 **PS9221SS**

2400 x 400 x 427.5mm, waste, trap shroud,
fixing bracket, satin polish finish,
bottom outlet for waste:
Right hand outlet, SU H 3 **PS9122SS**
Left hand outlet, SU H 3 **PS9222SS**

TAPS & MIXERS

Refer to taps & mixers

APPROVALS

HBN 00-10 C, code SU H1/2/3

MATERIAL

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

COLOUR

Stainless steel.

FIXINGS

Wall mounted with joggle strip brackets
(supplied). Earthing terminal fitted.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Geberit Group





145

SINK(S) & DRAINER(S)

smooth radiused corners for easy cleaning
left or right hand sink/drainer



1200mm sink and drainer (no tap, left hand drainer illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

SINK AND DRAINER

1200 x 600 x 220mm

Single sink & single drainer, satin polish finish, waste: **PS4050SS**

2 tap RH drainer, LH sink **PS4150SS**

No tap RH drainer, LH sink ST A **PS4051SS**

2 tap LH drainer, RH sink **PS4051SS**

No tap LH drainer, RH sink ST A **PS4151SS**

1800 x 600 x 220mm

Single sink & 2 drainers, satin polish finish, waste: **PS4052SS**

2 tap central sink, LH & RH drainer **PS4052SS**

No tap central sink, LH & RH drainer ST B **PS4152SS**

1800 x 600 x 220mm

Double sink & single drainer, satin polish finish, waste: **PS4053SS**

2 tap RH drainer, LH sinks **PS4153SS**

No tap RH drainer, LH sinks ST C **PS4153SS**

2 tap LH drainer, RH sinks **PS4054SS**

No tap LH drainer, RH sinks ST C **PS4154SS**

FIXINGS

Cantilever bracket, stainless steel:

Pair for 1200 & 1800 (single sink) **PS9018SS**

Leg supports, stainless steel:

Pair for 1200 & 1800 (single sink) **PS9019SS**

Legs set (3 off) for 1800 (double sink) **PS4063SS**

TAPS & MIXERS

Refer to taps & mixers

APPROVALS

HBN 00-10 C, code ST A/B/C (no tap).

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333,

AFNOR Z 6 CN 18-09, BS 304S31.

1.2mm (top) 0.9mm (bowl) steel thickness.

COLOUR

Stainless steel.



Healthcare



Commercial


Twyford
Geberit Group

INSET SINKS

rimmed edge profile, suitable for standard sized worktops



Inset sink and drainer, no overflow (right hand drainer illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

INSET SINK AND DRAINER

1028 x 500 x 182mm, incl. waste, satin polish finish, no overflow:

RH drainer, LH sink, 2 tap holes 0505 **PS8601SS**

LH drainer, RH sink, 2 tap holes 0505 **PS8602SS**

1028 x 500 x 182mm, incl. waste, satin polish finish, no overflow:

RH drainer, LH sink, 0 tap holes 0505 **PS8603SS**

LH drainer, RH sink, 0 tap holes 0505 **PS8604SS**

1028 x 500 x 182mm, incl. waste, satin polish finish, with overflow:

RH drainer, LH sink, 2 tap holes 0505 **PS8611SS**

LH drainer, RH sink, 2 tap holes 0505 **PS8612SS**

TAPS & MIXERS

Refer to taps & mixers

MATERIAL

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
0.9mm steel thickness.

COLOUR

Stainless steel.

FIXINGS

Fixing clips (supplied).



Hotels



Healthcare



Education



Commercial



Residential

Twyford

Geberit Group



147

DISPOSAL HOPPER

ducted or exposed cistern
solid and liquid waste disposal unit *DU-H with continuous flushing rim and drainer



Disposal hopper with worktop BI (LH drainer illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

HOPPER AND WORKTOP (LEFT HAND DRAINER, RIGHT HAND HOPPER)

1000 x 600mm, hopper 110mm diam. outlet, flushpipe connectors, satin polish finish:

*Back inlet DU H **PS8102SS**

HOPPER AND WORKTOP (RIGHT HAND DRAINER, LEFT HAND HOPPER)

*Back inlet DU H **PS8104SS**

REMOVABLE OUTLET GRATING

Removable outlet grating **PS9017SS**

FIXINGS

Cantilever brackets (pair) **PS9018SS**

Leg & bearer brackets (pair) **PS9019SS**

BACK INLET HOPPER

Concealed cistern, complete with fittings, including chrome plated lever and flushbend, SSIO 6 litre Plastic flushpipe

CX9560XX
CF6217WH

APPROVALS

*HBN 00-10 C, code DU H

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 1.5mm steel thickness.

COLOUR

Stainless steel.



Healthcare



Commercial

Twyford
Geberit Group

COMBINED DISPOSAL HOPPER

ducted or exposed cistern
hospital pattern combined slop hopper, sink and drainer



Disposal hopper, sink and worktop BI (LH drainer illustrated)

TO SPECIFY/ORDER:

Please use the product reference shown below.

HOPPER, SINK AND WORKTOP (LEFT HAND DRAINER, RIGHT HAND HOPPER)

1600 x 600mm, hopper 110mm diam. outlet,
flushpipe connectors, waste, satin polish finish:
*Back inlet DU HS **PS8106SS**

HOPPER, SINK AND WORKTOP (RIGHT HAND DRAINER, LEFT HAND HOPPER)

*Back inlet DU HS **PS8108SS**

REMOVABLE OUTLET GRATING

Removable outlet grating **PS9017SS**

FIXINGS

Cantilever brackets (pair) **PS9018SS**

Leg & bearer brackets (pair) **PS9019SS**

BACK INLET HOPPER

Concealed cistern, complete with fittings,
including chrome plated lever
and flushbend, SSIO 6 litre **CX9560XX**
Plastic flushpipe **CF6217WH**

TAPS & MIXERS

Refer to taps & mixers

APPROVALS


*HBN 00-10 C, code DU HS

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

COLOUR

Stainless steel.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial


Twyford
Geberit Group

WALL MOUNTED DISPOSAL HOPPER

solid and liquid waste disposal unit with continuous flushing rim and hinged bucket grating
radiused easy clean internal surfaces



Wall mounted disposal hopper, with grating
(back inlet illustrated)



TO SPECIFY/ORDER:

Please use the product reference shown below.

WALL MOUNTED DISPOSAL HOPPER

With grating, flushpipe connectors,
satin polish finish:

600 x 600 x 300mm, back inlet **PS8110SS**

*Without grating, flushpipe connectors,
satin polish finish:

600 x 600 x 300mm, back inlet **PS8112SS**

REMOVABLE OUTLET GRATING

Removable outlet grating **PS9017SS**

FIXINGS

Cantilever brackets (pair) **PS9018SS**

BACK INLET HOPPER

Concealed cistern, complete with fittings,
including chrome plated lever
and flushbend, SSIO 6 litre
Plastic flushpipe

CX9560XX
CF6217WH

APPROVALS

*HBN 00-10 C, code DU

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

COLOUR

Stainless steel.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Gerbit Group

150

FLOOR STANDING BTW WC 500

back-to-wall WC pan, with anti vandal shroud
duct installation only



400mm floor standing WC (Inset - with seat & cover)

TO SPECIFY/ORDER:

Please use the product reference shown below.

BTW WC PAN, FLOOR STANDING

360 x 580 x 400mm, HO
satin polish finish

PS8301SS

360 x 580 x 400mm, HO, with seat and cover
satin polish finish,

PS8302SS

Concealed cistern, complete with fittings,
including chrome plated lever and flushbend

SSIO 6 litre

CX9560XX

BSIO 6 litre

CX9561XX


MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.

2.0mm steel thickness.

COLOUR

Stainless steel.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Education



Commercial

Twyford
Geberit Group

JANITORIAL UNIT

free standing combination of washbasin and bucket sink
hinged grid over the sink to support the bucket



Janitorial unit

TO SPECIFY/ORDER:

Please use the product reference shown below.

JANITORIAL UNIT

500 x 500 x 880mm Janitorial unit,
complete with basin, wastes (1.25" & 1.5"),
monobloc mixer tap, leg set (4 supplied),
joggle strip and grid

PS8801SS

APPROVALS

HBN 00-10 C, code JU
WRAS Approved

MATERIAL




Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
Steel thickness 1.5mm (shrouds) 0.9mm
(bowls).

COLOUR

Stainless steel.

FIXINGS

Unit can either be wall mounted or
floor mounted using 2 or 4 legs.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education




Commercial

Twyford
Geberit Group

DRINKING FOUNTAIN

ideal for schools and colleges
complete with push button water bubbler tap with protected nozzle,
to minimise direct contact



Drinking fountain - wall-hung

TO SPECIFY/ORDER:

Please use the product reference shown below.

DRINKING FOUNTAIN

257 x 350 x 125mm, drinking fountain complete with:

Water bubbler tap, waste, joggle strip and earthing lug, satin polish finish **PS8001SS**

APPROVALS

WRAS Approved.

MATERIAL


Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 1.5mm steel thickness.

COLOUR

Stainless steel.

FIXINGS

Mounted to wall with joggle strip (supplied).



PS8001SS, PS8002SS & PS8003SS OPERATING PRESSURES			
Jet position (bar)	1	2	3
All open (l/min)	1.8	3.5	4.8
Half open (l/min)	1.2	2.6	3.4

Operating pressure between 0.2 to 3 bar.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Twyford
Geberit Group

DRINKING FOUNTAIN

ideal for schools and colleges
pedestal mounted, complete with push button water bubbler tap with protected nozzle,
to minimise direct contact



Drinking fountain - floor mounted
(junior illustrated)



TO SPECIFY/ORDER:

Please use the product reference shown below.

DRINKING FOUNTAIN

Drinking fountain complete with
Water bubbler tap, shroud,
waste, joggle strip and earthing lug,
satin polish finish:

257 x 350 x 575mm, - junior

PS8002SS

257 x 350 x 775mm, - adult

PS8003SS

APPROVALS

WRAS Approved.

MATERIAL

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

COLOUR

Stainless steel.

FIXINGS

Mounted to wall with joggle strip (supplied).



PS8001SS, PS8002SS & PS8003SS OPERATING PRESSURES			
Jet position (bar)	1	2	3
All open (l/min)	1.8	3.5	4.8
Half open (l/min)	1.2	2.6	3.4

Operating pressure between 0.2 to 3 bar.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Twyford
Geberit Group

CIRCULAR WASHSTATION

4 to 6 person circular washstation, with radiused outer edge mounted on pedestal base with access panel



Circular washstation



TO SPECIFY/ORDER:

Please use the product reference shown below.

CIRCULAR WASHSTATION

Circular washstation, complete with:
Sensor taps, 1.5" waste outlet, satin polish finish.
(Centre column contains plumbing to sensor
taps, soap tank with valves):

911 dia x 1217mm

PS8004SS

APPROVALS

WRAS Approved.

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

COLOUR

Stainless steel.

FIXINGS

Floor mounted with fixings (not supplied).

NOTE

Operating pressure 0.5 to 10 bar.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford
Geberit Group

STAINLESS STEEL FITTINGS

TO SPECIFY/ORDER:

Please use the product reference shown below.



REMOVABLE OUTLET GRATING


Removable outlet grating

PS9017SS

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 1.5mm steel thickness.

Removable outlet grating



CANTILEVER BRACKET


Cantilever brackets (pair)

PS9018SS

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 1.5mm steel thickness.

Cantilever brackets (pair)



LEG & BEARER BRACKET

Leg & bearer brackets (pair)

PS9019SS

MATERIAL

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 3mm steel thickness.

Leg & bearer brackets (pair)

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to individual product page.

Twyford
Geberit Group

LESS ABLE



DOC.M VALUE PACK PLUS

thermostatically protected via external blending valve



Doc.M value pack plus white grab rails and seat.
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M VALUE PACK PLUS

Left hand with white grab rails & seat
Right hand with white grab rails & seat

PK8255WH
PK8355WH

COMPRISING COMPONENTS

- Avalon HO pan
- Doc.M value cistern, fittings & standard lever - 6 litre flush
- Avalon seat ring, stainless steel bar hinge, top fix and stability buffers
- Alcona 360 Handrinse basin, 1 Tap
- Sequential lever action mixer tap with flexi tails
- Mixing valve - thermostatic TMV3 (SF1037XX)
- 4 x 600mm grab rails concealed fixings
- 1 x 450mm grab rail concealed fixings
- 1x Hinged support rail and toilet roll holder concealed fixings
- Pan fixings, cistern cover clip
- Grid waste

NOTE

Basin traps to be ordered separately.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015.

APPROVALS

LABC certificate, ref: Pending
WRAS Approved, TMV3




MATERIAL

Vitreous china.
Grab rails in powder coated aluminium.

COLOURS

Vitreous china in white only.
White WH (White RAL 9016, Luminance Value 90)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

160

DOC.M VALUE PACK PLUS

thermostatically protected via external blending valve



Doc.M value pack plus blue grab rails and seat.
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M VALUE PACK PLUS

Left hand with blue grab rails & seat
Right hand with blue grab rails & seat

PK8255BE
PK8355BE

COMPRISING COMPONENTS

- Avalon HO pan
- Doc.M value cistern, fittings & standard lever - 6 litre flush
- Avalon seat ring, stainless steel bar hinge, top fix and stability buffers
- Alcona 360 Handrinse basin, 1 Tap
- Sequential lever action mixer tap with flexi tails
- Mixing valve - thermostatic TMV3 (SF1037XX)
- 4 x 600mm grab rails concealed fixings
- 1 x 450mm grab rail concealed fixings
- 1x Hinged support rail and toilet roll holder concealed fixings
- Pan fixings, cistern cover clip
- Grid waste

NOTE

Basin traps to be ordered separately.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015.

APPROVALS

LABC certificate, ref: Pending
WRAS Approved, TMV3





MATERIAL

Vitreous china.
Grab rails in powder coated aluminium.

COLOURS

Vitreous china in white only.
Rails and seat in blue.

Blue BE (Blue RAL 5011, Luminance Value 6)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

161

DOC.M VALUE PACK PLUS

thermostatically protected via external blending valve



Doc.M value pack plus grey grab rails and seat.
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M VALUE PACK PLUS

Left hand with grey grab rails & seat

PK8255GY

Right hand with grey grab rails & seat

PK8355GY

COMPRISING COMPONENTS

Avalon HO pan

Doc.M value cistern, fittings & standard lever - 6 litre flush

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

Alcona 360 Handrinse basin, 1 Tap

Sequential lever action mixer tap with flexi tails

Mixing valve - thermostatic TMV3 (SF1037XX)

4 x 600mm grab rails concealed fixings

1 x 450mm grab rail concealed fixings

1x Hinged support rail and toilet roll holder concealed fixings

Pan fixings, cistern cover clip

Grid waste

NOTE

Basin traps to be ordered separately.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015.

APPROVALS

LABC certificate, ref: Pending

WRAS Approved, TMV3



MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.


COLOURS

Vitreous china in white only.


Rails and seat in grey.

Grey GY

(Grey RAL 7005, Luminance Value 20)



The drawing shows a Right Hand installation. It should be clear of all possible protrusions and storage fittings.



Alarm call cord with red handles, one at 100, the other at 800 to 1000 above the floor.

AR: Alarm Reset Button
TP: Toilet Paper Dispenser
FP: Floor Paper Dispenser
SD: Soap Dispenser
HD: Hand Dryer
The drawing shows a Left Hand installation. A Right Hand installation is the mirror image of above.

The drawing shows a Left Hand installation. A Right Hand installation is the mirror image of above.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

DOC.M RIMLESS SUPER PACK

modern rimless design
4 litre flush



Doc.M rimless super pack with white grab rails & seat.
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS SUPER PACK

Left hand with white grab rails & seat

PK8256WH

Right hand with white grab rails & seat

PK8356WH

COMPRISING COMPONENTS

Avalon Rimless HO pan and fixings

Avalon Rimless cistern, fittings and spatula lever

- 4 or 6 litre flush

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

Sola square handrinse basin, 400, no overflow 1 tap

Sola thermostatic basin mixer with fixed spout and copper tails (SF1140CP)

4 x 600mm grab rails concealed fixings

1 x 450mm grab rail concealed fixings

1x Hinged support rail and toilet roll holder concealed fixings

Wall bolts (pair), Grid waste, Cistern cover clip

NOTE

Basin traps to be ordered separately.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337B

Pending WRAS approval



MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.

COLOURS



Vitreous china in white only.

Rails in white.

Seat in white.

White WH

(White RAL 9016, Luminance Value 90)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

163

DOC.M RIMLESS SUPER PACK

modern rimless design
4 litre flush



Doc.M rimless super pack with blue grab rails & seat.
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS SUPER PACK

Left hand with blue grab rails & seat
Right hand with blue grab rails & seat

PK8256BE
PK8356BE

COMPRISING COMPONENTS

- Avalon Rimless HO pan and fixings
- Avalon Rimless cistern, fittings and spatula lever - 4 or 6 litre flush
- Avalon seat ring, stainless steel bar hinge, top fix and stability buffers
- Sola square handrinse basin, 400, no overflow 1 tap
- Sola thermostatic basin mixer with fixed spout and copper tails (SF1140CP)
- 4 x 600mm grab rails concealed fixings
- 1 x 450mm grab rail concealed fixings
- 1x Hinged support rail and toilet roll holder concealed fixings
- Wall bolts (pair), Grid waste, Cistern cover clip

NOTE

Basin traps to be ordered separately.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337B
Pending WRAS approval, TMV3




MATERIAL

Vitreous china.
Grab rails in powder coated aluminium.


COLOURS

Vitreous china in white only.
Rails in blue.
Seat in blue.

Blue BE (Blue RAL 5011, Luminance Value 6)



The area shown is the minimum required. It should be clear of all obstacles and protrusions.



Basin pull-out with rail lengths, one at 150, the other at 300 or 450 above the floor.

AR: Alarm Reset Button
TP: Toilet Paper Dispenser
PT: Paper Towel Dispenser
SD: Soap Dispenser
HD: Hinged support rail for Automatic Hand Dryer

This drawing shows shows a Left Hand installation, a Right Hand installation is the mirror image of above.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

DOC.M RIMLESS SUPER PACK

modern rimless design
4 litre flush



Doc.M rimless super pack with grey grab rails & seat.
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS SUPER PACK

Left hand with grey grab rails & seat

PK8256GY

Right hand with grey grab rails & seat

PK8356GY

COMPRISING COMPONENTS

Avalon Rimless HO pan and fixings

Avalon Rimless cistern, fittings and spatula lever

- 4 or 6 litre flush

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

Sola square handrinse basin, 400, no overflow 1 tap

Sola thermostatic basin mixer with fixed spout and copper tails (SF1140CP)

4 x 600mm grab rails concealed fixings

1 x 450mm grab rail concealed fixings

1x Hinged support rail and toilet roll holder concealed fixings

Wall bolts (pair), Grid waste, Cistern cover clip

NOTE

Basin traps to be ordered separately.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337B

Pending WRAS approval, TMV3



MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.

COLOURS



Vitreous china in white only.

Rails in grey.

Seats in grey.

Grey GY

(Grey RAL 7005, Luminance Value 20)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

165

DOC.M RIMLESS SUPER PACK

modern rimless design
4 litre flush



Doc.M rimless super pack with stainless steel grab rails & grey seat.
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS SUPER PACK

Left hand with stainless steel rails & grey seat **PK8256SS**
Right hand with stainless steel rails & grey seat **PK8356SS**

COMPRISING COMPONENTS

- Avalon Rimless HO pan and fixings
- Avalon Rimless cistern, fittings and spatula lever - 4 or 6 litre flush
- Avalon seat ring, stainless steel bar hinge, top fix and stability buffers
- Sola square handrinse basin, 400, no overflow 1 tap
- Sola thermostatic basin mixer with fixed spout and copper tails (SF1140CP)
- 4 x 600mm grab rails concealed fixings
- 1 x 450mm grab rail concealed fixings
- 1x Hinged support rail concealed fixings
- Wall bolts (pair), Grid waste, Cistern cover clip

NOTE

Basin traps to be ordered separately.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337B
Pending WRAS approval, TMV3





MATERIAL

Vitreous china.
Grab rails in brushed stainless steel.

COLOURS

Vitreous china in white only.
Rails in stainless steel.
Seat in grey.

Stainless steel (Luminance Value 42)
Grey GY (Grey RAL 7005, Luminance Value 20)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group



166

DOC.M AMBULANT CC PACK

thermostatically protected via external blending valve
available with white and blue rails and seats



Doc. M ambulant CC pack with white grab rails & seat



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M AMBULANT CLOSE COUPLED PACK

With white grab rails and seat

PK8160WH

COMPRISING COMPONENTS

- Avalon HO pan
- Doc.M value cistern, fittings & standard lever - 6 litre flush
- Doc.M seat ring, stainless steel hinge
- 3 x 600mm grab rails exposed fixings
- 1 x 450mm grab rail exposed fixings
- Pan fixings
- Cistern cover clip

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337D

MATERIAL

Vitreous china.

Grab rails in powder coated steel.

COLOURS

Vitreous china in white only.

Rails and seat in white.

White WH

(White RAL 9003, Luminance Value 76)



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group


167

DOC.M AMBULANT CC PACK

thermostatically protected via external blending valve
available with white and blue rails and seats



Doc M ambulant CC pack with blue grab rails & seat



All measurements shown are in millimetres.
Drawing sizes are not to scale.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M AMBULANT CLOSE COUPLED PACK

With blue grab rails and seat

PK8160BE

COMPRISING COMPONENTS

- Avalon HO pan
- Doc.M value cistern, fittings & standard lever - 6 litre flush
- Doc.M seat ring, stainless steel hinge
- 3 x 600mm grab rails exposed fixings
- 1 x 450mm grab rail exposed fixings
- Pan fixings
- Cistern cover clip

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337D

MATERIAL

Vitreous china.

Grab rails in powder coated steel.

COLOURS

Vitreous china in white only.

Rails and seat in blue.

Blue BE

(Blue RAL 5011, Luminance Value 6)



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

168

DOC.M RIMLESS AMBULANT BTW PACK

modern rimless design
4 litre flush



Doc.M rimless ambulant btw pack with white rails & seat

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS AMBULANT BTW PACK

With white grab rails & seat

PK8170WH

COMPRISING COMPONENTS

Avalon Rimless HO pan and fixings
Concealed cistern and standard lever, 4 or 6 litre flush
Avalon seat ring, stainless steel bar hinge, top fix and stability buffers
3 x 600mm grab rails concealed fixings
1 x 450mm grab rail concealed fixings

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337D

MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.



COLOURS

Vitreous china in white only.

Rails in white.

Seat in white.

White WH (White RAL 9016, Luminance Value 90)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

169

DOC.M RIMLESS AMBULANT BTW PACK

modern rimless design
4 litre flush



Doc.M rimless ambulant btw pack with blue rails & seat

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS AMBULANT BTW PACK

With blue grab rails & seat

PK8170BE

COMPRISING COMPONENTS

Avalon Rimless HO pan and fixings
Concealed cistern and standard lever, 4 or 6 litre flush
Avalon seat ring, stainless steel bar hinge, top fix and stability buffers
3 x 600mm grab rails concealed fixings
1 x 450mm grab rail concealed fixings

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337D

MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.



COLOURS

Vitreous china in white only.

Rails in blue.

Seat in blue.

Blue BE (Blue RAL 5011, Luminance Value 6)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

170

DOC.M RIMLESS AMBULANT BTW PACK

modern rimless design
4 litre flush



Doc.M rimless ambulant btw pack with grey rails & seat

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS AMBULANT BTW PACK

With grey grab rails & seat

PK8170GY

COMPRISING COMPONENTS

Avalon Rimless HO pan and fixings

Concealed cistern and standard lever, 4 or 6 litre flush

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

3 x 600mm grab rails concealed fixings

1 x 450mm grab rail concealed fixings

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337D

MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.



COLOURS

Vitreous china in white only.

Rails in grey.

Seat in grey.

Grey GY (Grey RAL 7005, Luminance Value 20)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

171

DOC.M RIMLESS AMBULANT BTW PACK

modern rimless design
4 litre flush



Doc.M rimless ambulant btw pack with stainless steel rails & grey seat

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS AMBULANT BTW PACK

With stainless steel grab rails & grey seat **PK8170SS**

COMPRISING COMPONENTS

- Avalon Rimless HO pan and fixings
- Concealed cistern and standard lever, 4 or 6 litre flush
- Avalon seat ring, stainless steel bar hinge, top fix and stability buffers
- 3 x 600mm grab rails concealed fixings
- 1 x 450mm grab rail concealed fixings

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337D



MATERIAL

Vitreous china.
Grab rails in brushed stainless steel.

COLOURS

Vitreous china in white only.
Rails in stainless steel.
Seat in grey.

Stainless steel (Luminance Value 42)
Grey GY (Grey RAL 7005, Luminance Value 20)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

172

DOC.M RIMLESS BTW PACK

modern rimless design
4 litre flush



Doc.M rimless back-to-wall pack with white rails & seat
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS BACK-TO-WALL PACK

Left hand with white rails & seat

PK8257WH

Right hand with white rails & seat

PK8357WH

COMPRISING COMPONENTS

Avalon 700mm projection BTW Rimfree pan

Concealed cistern, single flush lever, 4 litre flush

Avalon 50mm extension for WC

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

Doc.M back support with cushion

Sola square handrinse basin 400, no overflow 1 tap

Sola thermostatic basin mixer with fixed spout and copper tails (SF1140CP),

Grid waste, Wall bolts (pair),

4 x 600mm grab rails concealed fixings,

1 x 450mm grab rail concealed fixings,

1x Hinged support rail and toilet roll holder concealed fixings

NOTE

PLEASE NOTE BASIN TRAPS TO BE ORDERED SEPARATELY.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337C

WRAS Approved, TMV3



MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.


COLOURS

Vitreous china in white only.

Rails in white.

Seat in white.

White WH (White RAL 9016, Luminance Value 90)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

173

DOC.M RIMLESS BTW PACK

modern rimless design
4 litre flush



Doc.M rimless back-to-wall pack with blue rails & seat
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS BACK-TO-WALL PACK

Left hand with blue rails & seat

PK8257BE

Right hand with blue rails & seat

PK8357BE

COMPRISING COMPONENTS

Avalon 700mm projection BTW Rimfree pan

Concealed cistern, single flush lever, 4 litre flush

Avalon 50mm extension for WC

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

Doc.M back support with cushion

Sola square handrinse basin 400, no overflow 1 tap

Sola thermostatic basin mixer with fixed spout and copper tails (SF1140CP),

Grid waste, Wall bolts (pair),

4 x 600mm grab rails concealed fixings,

1 x 450mm grab rail concealed fixings,

1x Hinged support rail and toilet roll holder concealed fixings

NOTE

PLEASE NOTE BASIN TRAPS TO BE ORDERED SEPARATELY.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337C

WRAS Approved, TMV3



MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.

COLOURS


Vitreous china in white only.

Rails in blue.

Seat in blue.

Blue BE

(Blue RAL 5011, Luminance Value 6)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

174

DOC.M RIMLESS BTW PACK

modern rimless design
4 litre flush



Doc.M rimless back-to-wall pack with grey rails & seat
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS BACK-TO-WALL PACK

Left hand with grey rails & seat

PK8257GY

Right hand with grey rails & seat

PK8357GY

COMPRISING COMPONENTS

Avalon 700mm projection BTW Rimfree pan

Concealed cistern, single flush lever, 4 litre flush

Avalon 50mm extension for WC

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

Doc.M back support with cushion

Sola square handrinse basin 400, no overflow 1 tap

Sola thermostatic basin mixer with fixed spout and copper tails (SF1140CP),

Grid waste, Wall bolts (pair),

4 x 600mm grab rails concealed fixings,

1 x 450mm grab rail concealed fixings,

1x Hinged support rail and toilet roll holder concealed fixings

NOTE

PLEASE NOTE BASIN TRAPS TO BE ORDERED SEPARATELY.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337C

WRAS Approved, TMV3



MATERIAL

Vitreous china.

Grab rails in powder coated aluminium.


COLOURS

Vitreous china in white only.

Rails in grey.

Seat in grey.

Grey GY (Grey RAL 7005, Luminance Value 20)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

175

DOC.M RIMLESS BTW PACK

modern rimless design
4 litre flush



Doc.M rimless back-to-wall pack with stainless steel rails & grey seat
RIGHT HAND INSTALLATION SHOWN.

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M RIMLESS BACK-TO-WALL PACK

Left hand with stainless steel rails & grey seat **PK8257SS**

Right hand with stainless steel rails & grey seat **PK8357SS**

COMPRISING COMPONENTS

Avalon 700mm projection BTW Rimfree pan

Concealed cistern, single flush lever, 4 litre flush

Avalon 50mm extension for WC

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

Doc.M back support with cushion

Sola square handrinse basin 400, no overflow 1 tap

Sola thermostatic basin mixer with fixed spout and copper tails (SF1140CP),

Grid waste, Wall bolts (pair),

4 x 600mm grab rails concealed fixings,

1 x 450mm grab rail concealed fixings,

1x Hinged support rail and toilet roll holder concealed fixings

NOTE

PLEASE NOTE BASIN TRAPS TO BE ORDERED SEPARATELY.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337C

WRAS Approved, TMV3



MATERIAL

Vitreous china. Grab rails in brushed stainless steel.

COLOURS


Vitreous china in white only.

Rails in stainless steel.

Seats in grey.

Stainless steel (Luminance Value 42)

Grey GY (Grey RAL 7005, Luminance Value 20)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

176

DOC.M CONCEALED SHOWER PACK

TMV3 approved thermostatic shower valve
fixed and moveable shower head
BS8300 compliant shower kit



Doc.M shower packs white rails

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M CONCEALED SHOWER PACK

With white grab rails

PK7010WH

COMPRISING COMPONENTS

Shower rail 1200 x 1200mm

Shower curtain 1800 x 2000mm x 2

Concealed shower valve (SF1137CP)

Shower rail, hose and head

Shower vandal resistant fixed head

Shower diverter

3 x 600mm support rail concealed fixings

2 x hinged support rail concealed fixings

Pressalit seat and back rest

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337E

WRAS Approved

TMV3



INSTALLATION

Minimum operating pressure 0.2 bar

Maximum operating pressure 10 bar

MATERIAL

Grab rails in powder coated aluminium.

COLOURS

Grab rails in white.

Shower rail and curtain white only. Grey Seat

White WH (White RAL 90163, Luminance Value 90)

Grey GY (Grey RAL 7005, Luminance Value 20)



Typical Doc.M shower room layout

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

DOC.M CONCEALED SHOWER PACK

TMV3 approved thermostatic shower valve
fixed and moveable shower head
BS8300 compliant shower kit



Doc.M shower packs blue rails

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M CONCEALED SHOWER PACK

With blue grab rails

PK7010BE

COMPRISING COMPONENTS

- Shower rail 1200 x 1200mm
- Shower curtain 1800 x 2000mm x 2
- Concealed shower valve (SF1137CP)
- Shower rail, hose and head
- Shower vandal resistant fixed head
- Shower diverter
- 3 x 600mm support rail concealed fixings
- 2 x hinged support rail concealed fixings
- Pressalit seat and back rest

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337E
WRAS Approved
TMV3



INSTALLATION

Minimum operating pressure 0.2 bar
Maximum operating pressure 10 bar

MATERIAL

Grab rails in powder coated aluminium.

COLOURS

Grab rails in blue.
Shower rail and curtain white only. Grey Seat

Blue BE (Blue RAL 5011, Luminance Value 6)
Grey GY (Grey RAL 7005, Luminance Value 20)



Typical Doc.M shower room layout

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Fixed Shower Head and Handset PK7010 - -

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Through Fixed Head (Flow Regulator Fitted)	3.4	4.9	6.3	7.4	8.0	8.3
Through Handset (Flow Regulator Fitted)	3.9	5.3	8.0	8.5	9.0	9.0



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

DOC.M CONCEALED SHOWER PACK

TMV3 approved thermostatic shower valve
fixed and moveable shower head
BS8300 compliant shower kit



Doc.M shower packs grey rails

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M CONCEALED SHOWER PACK

With grey grab rails

PK7010GY

COMPRISING COMPONENTS

- Shower rail 1200 x 1200mm
- Shower curtain 1800 x 2000mm x 2
- Concealed shower valve (SF1137CP)
- Shower rail, hose and head
- Shower vandal resistant fixed head
- Shower diverter
- 3 x 600mm support rail concealed fixings
- 2 x hinged support rail concealed fixings
- Pressalit seat and back rest

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337E
WRAS Approved
TMV3



INSTALLATION

Minimum operating pressure 0.2 bar
Maximum operating pressure 10 bar

MATERIAL

Grab rails in powder coated aluminium.

COLOURS

Grab rails in grey.
Shower rail and curtain white only. Grey Seat

Grey GY (Grey RAL 7005, Luminance Value 20)



Typical Doc.M shower room layout

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Fixed Shower Head and Handset PK7010 - -

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Through Fixed Head (Flow Regulator Fitted)	3.4	4.9	6.3	7.4	8.0	8.3
Through Handset (Flow Regulator Fitted)	3.9	5.3	8.0	8.5	9.0	9.0



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

DOC.M CONCEALED SHOWER PACK

TMV3 approved thermostatic shower valve
fixed and moveable shower head
BS8300 compliant shower kit



Doc.M shower packs stainless steel rails

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M CONCEALED SHOWER PACK

With stainless steel grab rails

PK7010SS

COMPRISING COMPONENTS

- Shower rail 1200 x 1200mm
- Shower curtain 1800 x 2000mm x 2
- Concealed shower valve (SF1137CP)
- Shower rail, hose and head
- Shower vandal resistant fixed head
- Shower diverter
- 3 x 600mm support rail concealed fixings
- 2 x hinged support rail concealed fixings
- Pressalit seat and back rest

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337E
WRAS Approved
TMV3



INSTALLATION

Minimum operating pressure 0.2 bar
Maximum operating pressure 10 bar

MATERIAL

Grab rails in brushed stainless steel.

COLOURS

Grab rails in brushed stainless steel.
Shower rail and curtain white only. Grey Seat

Stainless steel (Luminance Value 42)
Grey Gy (Grey RAL 7005, Luminance Value 20)



Typical Doc.M shower room layout

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

180

DOC.M EXPOSED SHOWER PACK

TMV3 approved thermostatic shower valve
fixed and moveable shower head
BS8300 compliant shower kit



Doc.M shower packs blue rails

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M EXPOSED SHOWER PACK

With blue grab rails

PK7020BE

COMPRISING COMPONENTS

Shower rail 1200 x 1200mm
Shower curtain 1800 x 2000mm x 2
Exposed shower valve (SF1135CP)
Shower rail, hose and head
1 metre of chromed pipe
Shower fixed head
Shower diverter
3 x 600mm support rail concealed fixings
2 x Hinged support rail concealed fixings
Pressalit seat and back rest

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337E

WRAS Approved

TMV3



INSTALLATION

Minimum operating pressure 0.2 bar

Maximum operating pressure 10 bar

MATERIAL

Grab rails in powder coated aluminium.


COLOURS

Grab rails in blue

Shower rail and curtain white only. Grey seat.

Blue BE (Blue RAL 5011, Luminance Value 6)

Grey GY (Grey RAL 7005, Luminance Value 20)



Typical Doc.M shower room layout

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

DOC.M EXPOSED SHOWER PACK

TMV3 approved thermostatic shower valve
fixed and moveable shower head
BS8300 compliant shower kit



Doc.M shower packs grey rails

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M EXPOSED SHOWER PACK

With grey grab rails

PK7020GY

COMPRISING COMPONENTS

- Shower rail 1200 x 1200mm
- Shower curtain 1800 x 2000mm x 2
- Exposed shower valve (SF1135CP)
- Shower rail, hose and head
- 1 metre of chromed pipe
- Shower fixed head
- Shower diverter
- 3 x 600mm support rail concealed fixings
- 2 x Hinged support rail concealed fixings
- Pressalit seat and back rest

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337E

WRAS Approved

TMV3



INSTALLATION

Minimum operating pressure 0.2 bar

Maximum operating pressure 10 bar

MATERIAL


Grab rails in powder coated aluminium.

COLOURS

Grab rails in grey.

Shower rail and curtain white only. Grey seat.

Grey GY (Grey RAL 7005, Luminance Value 20)



Typical Doc.M shower room layout

All measurements shown are in millimetres.
Drawing sizes are not to scale.

Fixed Shower Head and Handset PK7020 - -

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Through Fixed Head (Flow regulator Fitted)	5.5	7.8	8.8	8.9	8.9	9.0
Through Handset (Flow Regulator Fitted)	3.9	5.3	8.0	8.5	9.0	9.0



Hotels



Healthcare



Education



Commercial



Less Able

Twyford
Geberit Group

183

DOC.M EXPOSED SHOWER PACK

TMV3 approved thermostatic shower valve
fixed and moveable shower head
BS8300 compliant shower kit



Doc.M shower packs stainless steel rails

TO SPECIFY/ORDER:

Please use the product reference shown below.

DOC.M EXPOSED SHOWER PACK

With stainless steel grab rails

PK7020SS

COMPRISING COMPONENTS

Shower rail 1200 x 1200mm
Shower curtain 1800 x 2000mm x 2
Exposed shower valve (SF1135CP)
Shower rail, hose and head
1 metre of chromed pipe
Shower fixed head
Shower diverter
3 x 600mm support rail concealed fixings
2 x Hinged support rail concealed fixings
Pressalit seat and back rest

NOTE

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M 2015

APPROVALS

LABC certificate, ref: EWS1337E

WRAS Approved

TMV3



INSTALLATION

Minimum operating pressure 0.2 bar

Maximum operating pressure 10 bar

MATERIAL

Grab rails in Brushed stainless steel.


COLOURS

Grab rails in stainless steel.

Shower rail and curtain white only. Grey seat.

Stainless steel (Luminance Value 42)

Grey GY (Grey RAL 7005, Luminance Value 20)



Typical Doc.M shower room layout

All measurements shown are in millimetres.
Drawing sizes are not to scale.

Fixed Shower Head and Handset PK7020 - -

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Through Fixed Head (Flow regulator Fitted)	5.5	7.8	8.8	8.9	8.9	9.0
Through Handset (Flow Regulator Fitted)	3.9	5.3	8.0	8.5	9.0	9.0



Hotels



Healthcare



Education



Commercial




Less Able

Twyford
Geberit Group

DOC.M OVERVIEW

	AMBULANT CC	AMBULANT BTW RIMLESS	CC VALUE	CC VALUE PLUS	CCRIMLESS SUPER	BTW RIMLESS	SHOWER - CONCEALED	SHOWER - EXPOSED
COLOUR OPTIONS	White/Blue	White/Blue/ Grey/ Stainless Steel	White/Blue	White/Blue/ Grey	White/Blue/ Grey/ Stainless Steel	White/Blue/ Grey/ Stainless Steel	White/Blue/ Grey/ Stainless Steel	White/Blue/ Grey/ Stainless Steel
GRAB RAILS	Exposed Fixings	Concealed Fixings	Exposed Fixings	Concealed Fixings	Concealed Fixings	Concealed Fixings	Concealed Fixings	Concealed Fixings
HANDEDNESS	n/a	n/a	2TH with blanking plug	LH/RH	LH/RH	LH/RH	LH/RH	LH/RH
PAN TYPE	CC	BTW	CC	CC	CC	BTW	n/a	n/a
RIMLESS	No	Yes	No	No	Yes	Yes	n/a	n/a
BASIN SIZE	n/a	n/a	355mm x 250mm	355mm x 250mm	250mm x 400mm	250mm x 400mm	n/a	n/a
TAP	n/a	n/a	Domestic tap and External Blending Valve	Spray Mixer and External Blending Valve	Thermostatic Mixer	Thermostatic Mixer	n/a	n/a
SHOWER TYPE	n/a	n/a	n/a	n/a	n/a	n/a	Concealed valve, riser rail kit and commercial fixed head	Exposed valve, riser rail kit and domestic fixed head

AVALON SHOWER SUPPORT ITEMS



SHOWER CURTAIN RAIL

1200 x 1200mm

AV6814WH

NOTE

Suitable for Doc.M compliant shower rooms.

MATERIAL

Powder coated aluminium.


COLOURS

White WH.

(White RAL 9016, Luminance Values 90)

FIXINGS

This rail must be securely fixed to a solid wall using appropriate fixings (not supplied). Fixing into unstable or soft block walls is not recommended. The wall must be flat.



shower curtain

SHOWER CURTAIN

1800 x 2000mm

AV6817WH

NOTE

Suitable for use with Avalon shower curtain rail in Doc.M compliant shower rooms.

MATERIAL

Polyester.

COLOURS

White WH.

FIXINGS

Secure to Avalon shower curtain rail using rings supplied with rail.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

186

AVALON SUPPORT ITEMS

TO SPECIFY/ORDER:

Please use the product reference shown below.



Back rest

BACK SUPPORT WITH CUSHION

White
Blue
Grey

AV4912WH
AV4912BE
AV4912GY

MATERIAL

Powder coated aluminium.

COLOURS

White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

FIXINGS

Secure rail to wall using suitable fixings
for wall structure. Concealed fittings.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group


AVALON SUPPORT ITEMS

TO SPECIFY/ORDER:

Please use the product reference shown below.



Grab rails



450MM GRAB RAIL

White
Blue
Grey

AV4901WH
AV4901BE
AV4901GY


MATERIAL - Powder coated aluminium.

COLOURS - White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Value 6)
(Grey RAL 7005, Luminance Value 20)
(White RAL 9016, Luminance Value 90)

FIXINGS Secure rail to wall using suitable fixings for wall structure. Concealed fittings.



Grab rails



450MM GRAB RAIL

Stainless Steel

AV4901SS


MATERIAL - Stainless steel.

COLOURS - Stainless steel (Luminance Value 42)

FIXINGS Secure rail to wall using suitable fixings for wall structure. Concealed fittings.



Grab rails



600MM GRAB RAIL

White
Blue
Grey

AV4902WH
AV4902BE
AV4902GY

MATERIAL - Powder coated aluminium.

COLOURS - White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Value 6)
(Grey RAL 7005, Luminance Value 20)
(White RAL 9016, Luminance Value 90)

FIXINGS Secure rail to wall using suitable fixings for wall structure. Concealed fittings.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group


AVALON SUPPORT ITEMS

TO SPECIFY/ORDER:

Please use the product reference shown below.



Grab rails



600MM GRAB RAIL

Stainless Steel

AV4902SS

MATERIAL - Stainless steel.

COLOURS - Stainless steel (Luminance Value 42)

FIXINGS Secure rail to wall using suitable fixings for wall structure. Concealed fittings.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

189

AVALON SUPPORT ITEMS

TO SPECIFY/ORDER:

Please use the product reference shown below.



Hinged support rails

HINGED SUPPORT RAIL WITH TOILET ROLL HOLDER


White **SR5906WH**
Blue **SR5906BE**
Grey **SR5906GY**

MATERIAL - Powder coated aluminium.

COLOURS - White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

FIXINGS This fixture must be securely fixed to a solid wall. For all other wall types the rail must be secured to a suitable structural member. Full instructions are included in each pack. Concealed fittings.

NOTE This item folds up against the wall to provide wheelchair access (as required by building regulations M3).



Hinged support rails

HINGED SUPPORT RAIL WITHOUT TOILET ROLL HOLDER

White **AV4915WH**
Blue **AV4915BE**
Grey **AV4915GY**

MATERIAL - Powder coated aluminium.

COLOURS - White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

FIXINGS This fixture must be securely fixed to a solid wall. For all other wall types the rail must be secured to a suitable structural member. Full instructions are included in each pack. Concealed fittings.

NOTE This item folds up against the wall to provide wheelchair access (as required by building regulations M3).

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

190


AVALON SUPPORT ITEMS

TO SPECIFY/ORDER:

Please use the product reference shown below.



Hinged support rails



HINGED SUPPORT RAIL

Stainless Steel

AV4915SS

MATERIAL - Stainless steel.

COLOURS - Stainless steel (Luminance Value 42)

FIXINGS This fixture must be securely fixed to a solid wall. For all other wall types the rail must be secured to a suitable structural member. Full instructions are included in each pack.

NOTE This item folds up against the wall to provide wheelchair access (as required by building regulations M3).

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

AVALON 50MM EXTENSION

TO SPECIFY/ORDER:

Please use the product reference shown below.



Avalon 50mm extension

AVALON 50MM EXTENSION

Avalon 50mm extension

(for use with AV1498WH)

AV6900WH

NOTE


To extend WC from wall to dimensions required under building regs Part M.

MATERIAL

Resin stone.

COLOUR

White.



All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to individual product page.

DOC.M SUPPORT ITEMS

TO SPECIFY/ORDER:

Please use the product reference shown below.



GRAB RAIL 450MM LONG

White
Blue

SR5905WH
SR5905BE

MATERIAL


Powder coated steel.

COLOURS

White WH (White RAL 9003, Luminance Values 76)
Blue BE (Blue RAL 5011, Luminance Values 6)

FIXINGS

Secure rail to wall using suitable fixings for wall structure. Exposed fittings.



Grab rail



GRAB RAIL 600MM LONG

White
Blue
Grey

SR5902WH
SR5902BE
SR5902GY

MATERIAL


Powder coated steel.

COLOURS


White WH (White RAL 9003, Luminance Values 76)
Blue BE (Blue RAL 5011, Luminance Values 6)
Grey GY (Grey RAL 7005, Luminance Values 20)

FIXINGS

Secure rail to wall using suitable fixings for wall structure. Exposed fittings.



Grab rail



HINGED SUPPORT RAIL WITH TOILET ROLL HOLDER

White
Blue
Grey

SR5810WH
SR5810BE
SR5810GY

MATERIAL


Powder coated steel.

COLOURS

White WH (White RAL 9003, Luminance Values 76)
Blue BE (Blue RAL 5011, Luminance Values 6)
Grey GY (Grey RAL 7005, Luminance Values 20)

FIXINGS

Secure rail to wall using suitable fixings for wall structure. Exposed fittings.



Hinged support rail with toilet roll holder

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able


Twyford

Geberit Group

DOC.M SUPPORT ITEMS

TO SPECIFY/ORDER:

Please use the product reference shown below.



Back support with cushion

BACK SUPPORT WITH CUSHION

White
Blue
Grey

SR4922WH
SR4922BE
SR4922GY

MATERIAL

Powder coated steel.

COLOURS

White WH (White RAL 9003, Luminance Values 76)
Blue BE (Blue RAL 5011, Luminance Values 6)
Grey GY (Grey RAL 7005, Luminance Values 20)

FIXINGS

Secure rail to wall using suitable fixings for wall structure. Exposed fittings.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

**Geberit Sales Ltd
Geberit House
Edgehill Drive
Warwick
CV34 6NH**

T 01926 516800

F 01926 400101

E enquiries@geberit.co.uk

Literature 0800 007 5133

www.geberit.co.uk

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. The Customer shall, in addition of the net purchase price, pay to The Company the amount of any Value Added Tax or other sales tax at the rate in force at the time the Goods are invoiced. E&OE.